STATE OF RHODE ISLAND and PROVIDENCE PLANTATIONS

The Honorable Lincoln D. Chafee, Governor RHODE ISLAND DEPARTMENT OF HEALTH

VITAL STATISTICS ANNUAL REPORT

2003



Michael Fine, MD, Director of Health

Colleen A. Fontana, State Registrar, Vital Records

INTRODUCTION

This Rhode Island Vital Statistics Annual Report for the year 2003 has been released by the Office of Vital Records in the Rhode Island Department of Health. The report contains data from certificates filed in the Division of Vital Records, as required by state law, for vital events such as births, deaths, marriages, divorces and fetal deaths occurring in Rhode Island. Information was also extracted from transcripts of certificates filed in other states for births and deaths occurring to Rhode Island residents in other locales.

The publication of the Vital Statistics Annual Report for 2003 is the final stage of a long process requiring the cooperation of many dedicated professionals, from health care providers to municipals clerks to funeral directors. All the unique data, once received at the Office of Vital Records, provide the public with certification that the event happened and, for public health purposes, provide important medical and statistical information, which is the foundation of this book and program and many other programs in Rhode Island.

The collection and organization of these data are partially supported by a contract with the National Center of Health Statistics (NCHS) a division of the National Center for Disease Control and Prevention, US Department of Health and Human Services, as part of Rhode Island participation in the US Vital Statistics Cooperative Program. Rhode Island Vital Statistics Annual Report 2003 is primarily for general reference. More detailed data may be available from the Office of Vital Records, 3 Capitol Hill, Room 101, Providence, RI 02908-5097. This report is also available on the Health Department website at www.health.ri.gov.

ACKNOWLEDGEMENTS

Publication of the Vital Statistics Annual Report requires the efforts of many staff members from the Division of Vital Records and in particular, special thanks are extended to Lawrence Trejo, Angel Reyes and MaryJo Takach.

Colleen A. Fontana State Registrar, Vital Records October 15, 2012

Vital Statistics Annual Report 2003

TABLE OF CON	ITENTS	Paga
Introduction		Page i
Acknowledgeme	ents	i
Table of Content	ts	iii
Definitions of Te	rms	viii
Technical Notes	and Usage	Х
VITAL STATIST	TICS SUMMARY	
Figure 1	2000 Rhode Island Population Densities	xvii
Figure 2	Rhode Island Population by Age and Sex, 2000	xviii
Figure 3	Rhode Island Population by Age and Sex, 2003	xix
TABLES & FIGU	JRES	
Table A	Vital Statistics Summary: Rhode Island	1
Figure 4	Rhode Island Vital Events Summary	2
Table 1A	United States Census Population of Rhode Island by Race, Hispanic Origin and Sex, 2000 and 1990	3
Table 1B	United States Census Population of Rhode Island by Age and Sex, 2000 and 1990	4
Figure 5	2003 Rhode Island Estimate Population by Age and Sex	c5
Table 2	Population of Rhode Island Cities and Towns by County Census of 1990 and 2000, with 2003 Estimate	
Figure 6	Rhode Island 2003 Estimate Population by Cities & Tow	ns8
Table 3	Number of Live Births, Deaths, and Marriages, with Rate by City and Town: Rhode Island, 2003	

Figure 7	2003 Rhode Island Residents Births by Cities & Towns11
Figure 8	2003 Rhode Island Residents Deaths by Cities & Towns12
Figure 9	2003 Rhode Island Marriages Occurrence by Cities & Towns 13
Table 4	Population, Live Births, Deaths, Marriages, and Divorces with Rates per 1,000 Population: Rhode Island, 1974-2003
Figure 10	Rhode Island Residents Live Births15
Figure 11	Rhode Island Residents Deaths16
Figure 12	Rhode Island Marriages Occurrence
Figure 13	Rhode Island Divorces Occurrence
Table 5	Number of Infant, Neonatal, Perinatal, and Maternal Deaths with Rates, Rhode Island Residents, 1974-200319
Figure 14	Rhode Island Residents Infant Deaths 1974-200320
Table 6	Resident Deaths by City or Town of Residence by Age, Race, and Sex, Rhode Island, 200321
Figure 15	2003 Rhode Island Residents Death by Age Range22
Table 7	Deaths and Death Rates for Leading Causes in 1999-2003, (ICD-10) with Comparability Ratios
Figure 16	Rhode Island Residents Death: Top 10 Causes of Death 1999-2003
Table 8	Selected Health Characteristics for Rhode Island Residents by Neighborhood and City or Town: Five-Year Totals with Average Rates, 1999-200325
Table 9	Number of Births Out of Wedlock with Ratio per 1,000 Live Births: Rhode Island 1980-2003 (Rhode Island Residents)
Figure 17	Rhode Island Residents Birth to Unmarried Mothers27
Table 10	Resident Births Out of Wedlock with Ratio per 1,000 Total Births in Specified Age Group: Rhode Island,

	1994-2003	. 28
Figure 18	Rhode Island Residents Births to Unmarried Mothers In Specific Age Group	. 29
Table 11	Resident Live Births by Race and Age of Mother, Sex and Live Birth Order of Child, Rhode Island, 2003	.30
Figure 19	2003 Rhode Island Residents Births by Mother's Age	.31
Table 12	Resident Live Births by Age of Mother, and Birth Weight of Child, Rhode Island, 2003	. 32
Figure 20	2003 Rhode Island Residents Births by Birth Weight of Child	. 33
Table 13	Resident Plural Live Births by Age of Mother and Birth Weight of Child, Rhode Island, 2003	. 34
Table 14	Residents Live Births by City or Town, Race of Mother and Selected Characteristics, Rhode Island, 2003	. 35
Table 15	Resident Live Births by City or Town by Month, Rhode Island, 2003	. 36
Figure 21	2003 Rhode Island Residents Birth by Month	.37
Table 16	Selected Natality Data by City or Town Rhode Island Residents, 2003	. 38
Table 16A	Rhode Island Residents Births to Unmarried Mothers: All Ages and Under Age 20, by City or Town of Residence	. 39
Table 17	Fetal Deaths Occurring in Rhode Island by Race of Mother, Weeks of Uterogestation, and Mode of Delivery, 2003	. 41
Table 17A	Fetal Deaths Occurring in Rhode Island by Month of Delivery by Weeks of Uterogestation, 2003	. 42
Table 18	Resident Fetal Deaths Occurring in Rhode Island by Mode of Delivery by City or Town of Mother's Residence 2003	. 43
Table 19	Spontaneous Fetal Deaths of 20 Weeks or More	

	Of Child and Age of Mother, 2003	44
Table 19A	Spontaneous Fetal Deaths of 20 Weeks or More Uterogestation for Rhode Island Residents by Birth Weights of Child and Age of Mother, 2003	45
Table 20	All Fetal Deaths Occurring in Rhode Island by Selected Cause of Death (ICD-10), 2003	46
Table 21	Resident Deaths from 113 Selected Causes by Race, Age and Sex: Rhode Island, 2003	47
Table 22	Resident Deaths by City or Town by Month, Rhode Island, 2003	61
Figure 22	2003 Rhode Island Residents Death by Month	62
Table 23	Resident Infant Deaths from 130 Selected Causes (ICD-10) by Age, Rhode Island, 2003	63
Table 24	Resident Accidental Deaths by Sex and Age, with Non-Transport Accidents Shown by New England Standard Locations by Sex and Age: Rhode Island, 2003	65
Table 25	Resident Accidental Deaths of Rhode Island Residents by Type and Age: Rhode Island, 2003	67
Table 26	Ten Leading Causes of Death of Rhode Island Residents by Sex, with Rates: Rhode Island, 2003	69
Figure 23	2003 Rhode Island Residents Death: Top 10 Causes Of Death by Sex	70
Table 27	Five Leading Causes of Death in Specified Age Groups: Rhode Island, 2003	71
Figure 24	Rhode Island Residents: 5 Leading Causes of Death Under 5 Years (2003 vs 2002)	72
Figure 25	Rhode Island Residents: 5 Leading Causes of Death 5 to 19 Years (2003 vs 2002)	73
Figure 26	Rhode Island Residents: 5 Leading Causes of Death 20 to 44 Years (2003 vs 2002)	74
Figure 27	Rhode Island Residents: 5 Leading Causes of Death	

	45 to 64 Years (2003 vs 2002)	. 75
Figure 28	Rhode Island Residents: 5 Leading Causes of Death 65 Years & Older (2003 vs 2002)	76
Table 28	Divorces by County (Rhode Island Occurrences), 2003	
Table 29	Divorces by Month (Rhode Island Occurrences), 2003	
Figure 29	2003 Rhode Island Divorces Occurrence by Month	
Table 30	Marriages by Month of Occurrence, Rhode Island, 2003	. 79
Figure 30	2003 Rhode Island Marriages Occurrence by Month	. 80
Table 31	Most Popular Babies Names by Sex	. 81
Figure 31	2003 Most Popular Males Babies Names	. 82
Figure 32	2003 Most Popular Females Babies Names	. 83

DEFINITIONS OF TERMS

Birth or live birth

Is defined as the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Cause of Death

The underlying cause of death, by which all deaths are classified, may be defined as:

- (a) the disease or injury which initiated the train of morbid events leading directly to death, or
- (b) the circumstances of the accident or violence which produced the fatal injury.

It is the responsibility of the certifying physician or medical examiner to indicate the underlying cause. It is the responsibility of the nosologist in the Division of Vital Records to assign the proper code number from the Tenth Revision, International Classification of Diseases, so that deaths may be classified by underlying cause. Because of the classification revision, cause-of-death figures beginning with 1999 data are not entirely comparable with those of earlier years (see "Changes to Mortality Data Classifications: ICD-9 to ICD-10" in the Technical Notes section of this report).

Census Tract

The U.S. Census Bureau defines a census tract as "a small, relatively permanent statistical subdivision of a county delineated by a local committee of census data users for the purpose of presenting data. Census tract boundaries normally follow visible features, but may follow governmental unit boundaries and other non-visible features in some instance; they always nest within counties. Designed to be relatively homogeneous units with respect to population characteristics, economic status, and living conditions at the time of establishment, census tracts average about 4,000 inhabitants." (Source: www.census.gov)

In 1990, some Rhode Island census tracts were redrawn so that they crossed town lines. The majority of 2000 census tracts have been corrected for this problem, and fall within town boundaries. Many 2000 census tracts, however, have been moved, shifted, split, or combined relative to the 1990 tracts. We recommend that data coded to 1990 census tracts <u>not</u> be compared to data coded to 2000 census tracts, unless you are aware of how the tract has changed, even if its number has remained the same. Additional Census 2000 and census tract information is available at www.census.gov.

Fetal death

The definition used in this state is that of the World Health Organization, which is as follows: "Fetal death means death prior to complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that, after such expulsion or extraction, the fetus does not breathe or show any other evidence of life, such as the beating of the heart, pulsation of the umbilical cord, or definite movement of the voluntary muscles."

This category includes both induced terminations and spontaneous fetal deaths.

<u>Induced termination</u> is a fetal death where the pregnancy has been deliberately terminated with the purpose of producing a nonviable fetus. Molar and ectopic pregnancies are excluded.

A <u>spontaneous fetal death</u> is a fetal death that is not an induced abortion and includes miscarriages, stillbirths, and ectopic pregnancies.

Infant death is defined as a death occurring within the first year of life.

Neonatal deaths are infant deaths that occurred prior to the 28th day of life.

<u>Post-neonatal deaths</u> are infant deaths which occurred between the 28th day of life and before the first birthday.

Low birth weight infants are those weighing 2500 grams (5 lbs. 8 ozs.) or less.

Maternal death

Is defined by the International Classification of Diseases, 9th Revision, as "the death of any woman while pregnant or within 42 days of termination of pregnancy, irrespective of the duration and the site of the pregnancy, from any cause related to or aggravated by the pregnancy or its management but not from accidental or incidental causes". This definition is used in Rhode Island for classifying maternal deaths.

Perinatal mortality, as used in this report, refers to fetal deaths of 28 weeks or more uterogestation combined with deaths that occurred before the seventh day of life.

Residence is the city or town where the deceased resided for a death, where the mother resided for a birth, or where the patient resided for a spontaneous fetal death or induced abortion.

Technical Notes and Usage:

Step-By-Step Instructions*

Data users are diverse, including public-health officials evaluating a program by using death data, demographers projecting school enrollments with birth data, and business people deciding to open a formal-wear shop based on marriage data. Many of these users have a thorough knowledge of statistics. But others find the entire subject-matter confusing and intimidating. For either group, a misunderstanding of what vital statistics mean can lead to wrong conclusions. Therefore, this section is included to provide an overview of how to use vital statistics. It is addressed to the person looking at vital events for the first time, but the experienced user may also find a review helpful.

STEP 1: FINDING THE CORRECT NUMBER

The first step is to determine how many of a particular vital event took place during the year. This involves asking two questions:

Which event or events are appropriate?

DEATHS
INFANT DEATHS
NEONATAL DEATHS
POST-NEONATAL DEATHS
FETAL DEATHS
LOW BIRTH WEIGHT INFANTS
PREGNANCIES
INDUCED ABORTIONS
MARRIAGES
DIVORCES

This may not be as simple as it sounds. For one thing, examining more than one type of event may be required. For example, a researcher who is concerned with teenage pregnancies will have to consider abortions and fetal deaths, not simply the number of births.

Deciding which events to use is important since sometimes the choice of one event over another can lead to vastly different conclusions.

*Technical Notes reprinted, in part, courtesy of the Oregon Center for Health Statistics; illustrative examples were changed to reflect Rhode Island data. Effective with the 1999 Annual Report, the Comparability Ratios section has been updated to reflect changes to mortality data classifications from ICD-9 to ICD-10.

Who should be counted?

If you are a hospital planner who is deciding to expand or contract delivery services, you want to count the number of births which <u>occurred</u> in your area, regardless of where the parents live. If you are projecting school enrollment, you want to count only how many children will potentially be <u>residing</u> in your area. Fortunately, vital events are usually reported so that both of these data needs can be met.

OCCURRENCE DATA

The event (the death, birth, marriage, etc.) actually took place in the city or town. The person participating in the event may have lived in Podunk, New York.

RESIDENCE DATA

The person involved in the event lived in the geographic region mentioned, but the event itself may have taken place anywhere in the United States or Canada. In other words, a resident of Providence who died in an accident while on vacation in Michigan has been added to the city of Providence resident death figure

When in doubt about which type of data to use, resident figures are usually the best choice. Most birth and death data are published by residence, which means that comparisons with other states or the United States as a whole will be easier. Exceptions to this rule are listed in the individual sections.

Once the right event has been determined, and the choice between occurrence and residence data has been made, the statistician can find the correct figures in the table(s) in this book. If the needed table is not listed, contact the Office of Vital Records for more information.

Once the right event has been determined, and the choice between occurrence and residence data has been made, the statistician can find the correct figures in the table(s) in this book. If the needed table is not listed, contact the Office of Vital Records for more information.

STEP 2: MAKING THE NUMBER MEANINGFUL WITH RATES AND RATIOS

In many instances simply knowing the number of events is not sufficient. A. Bradford Hill expressed this important statistical concept:

"It is well recognized that white sheep eat more than black sheep--because there are more of them."

For example, we know more people died in Providence than in New Shoreham, because Providence has a much larger population. But what is the <u>likelihood</u> of dying in each municipality?

In order to answer this question, statisticians calculate rates. This means that the number of events which occurred is compared to the population for which that event <u>could</u> have occurred, and the figure is then standardized to some number (such as 1,000 or 100,000) for convenience.

Here is an example:

CRUDE DEATH RATE = DEATHS (The number of people who died)

POPULATION X 1,000

The more specifically a statistician can define the "population at risk" (the denominator or bottom part of the formula), the more meaningful the rate is. For example, the <u>crude birth rate</u>, which compares the number of births to the population, is not nearly as informative as the <u>fertility rate</u>, which uses only the number of women of childbearing age (15-44) for comparative purposes. The fertility rate is not distorted by changes in the number of men or pre-pubescent or post-menopausal women in the population. (The turn of the century notion that only <u>married</u> women between the age of 15 and 44 would be considered at risk of pregnancy has been abandoned for obvious reasons.)

Unfortunately, we do not always have the correct denominator for the equation. In these situations a substitute is used. For example, how many people are at risk of getting divorced? The number of married people is only available for census years. As a substitute, the crude divorce rate is calculated using the total population regardless of marital status. In other situations, the event is simply compared to another <u>related</u> number. For instance, the abortion ratio compares the number of abortions to the number of births. This is easier and more accurate than trying to determine the true denominator, which is the total number of pregnant women.

When calculating rates and ratios, great care must be taken to make certain that the appropriate time periods, geographical boundaries, and populations are used.

STEP 3: COMPARING TWO OR MORE NUMBERS

Numbers are more meaningful when they are converted into rates and ratios. But problems can arise when rates or ratios are compared for different geographical areas, different time periods, or different categories such as men versus women.

Taking Age, Sex, And Race Into Account

Before comparing two places or two time periods, always compare the population characteristics, such as age, sex, and race, first. If discrepancies are noted in any relevant variables, then the rates should be adjusted or standardized in order to make the comparisons free of differences in the structure of the populations.

Chance variation

Statisticians expect a certain amount of chance variation and have methods to take this into account. The <u>confidence interval</u> uses the number of cases and their distributions to determine what the rate "really is". If two rates have overlapping confidence intervals, then the difference between them may be due to this chance variation. In other words, the difference is not <u>statistically significant</u>. When comparing rates and ratios, differences should be tested for statistical significance.

Small numbers

Chance variation is a common problem when the numbers being used to calculate rates are extremely small. Large swings often occur in the rates, which do not reflect real changes. Consider Rhode Island's non-white infant mortality rates for a five-year period, shown below:

<u>Year</u>	Non-White Births	Non-White Infant <u>Deaths</u>	Non-White Infant <u>Death Rates</u>
1984	1313	18	13.7
1985	1337	12	9.0
1986	1456	20	13.7
1987	1571	17	10.8
1988	1698	22	13.0
1984-88	7375	89	12.1

The rates may vary widely from year to year. Note the difference in the 1984 non-white infant death rate, even though there was only one more infant death occurring in 1984 than there was in 1987.

Many rates based on small numbers are published in this book because readers demand them. But anyone preparing to make important decisions based on these rates should be very cautious. Consider this rule of thumb: a rate based on 20 cases has a 95% confidence interval about as wide as itself (the interval for a rate of 50 is between 25 and 75). Even large differences between two rates based on 20 cases or less are probably not statistically significant.

If 20 are too few, how many cases are sufficient to say that a true difference exists? Unfortunately we have no easy rules for this. To be safe, the vital statistician should always try to combine several years of data or consolidate geographical areas. Confidence intervals should be calculated, and differences should be tested for statistical significance.

Changes in measurement

Another problems is that the numbers being compared have not always been based on the same type of measurement. Definitions, population estimates, certificates, and coding procedures change from time to time as the need arises, e.g., the change in cause-of-death classification from the International Rules for the Classification of Diseases ICD-9 to the ICD-10. This can create "artificial" differences and can disguise "real" differences. The cause-of-death item provides an excellent example of changes in comparability:

In 1998, 383 people died RATE = 38.8 PER 100,000 Due to influenza & Pneumonia POPULATION

In 1999, 301 people died RATE = 30.4 PER 100,000 Due to this cause POPULATION

It appears that the incidence of Influenza & Pneumonia decreased. Actually, a change to coding and classification rules in the ICD-10 made it much less likely that Influenza & Pneumonia would be selected as the underlying cause of death (see explanation below):

Changes to Mortality Data Classifications: ICD-9 to ICD-10 Comparability Ratios

Effective with 1999 deaths, the Tenth Revision of the International Classification of Diseases (ICD-10) replaced the ICD-9, which had been used since 1979. The first ICD was developed in 1900 to promote international comparability and standards in the collection, classification, processing and presentation of health

statistics. It represented a collaborative effort of the World Health Organization (WHO), the National Center for Health Statistics (NCHS) in the US Department of Health and Human Services and nine other international centers. The United States is required to use the ICD under an agreement with WHO.

It is important to revise the ICD periodically to reflect advances in medical science and changes in medical diagnoses. While such revisions are essential to monitor the population's health, such changes have implications for mortality trend analysis.

The ICD-10 differs substantially from ICD-9 in the following ways:

- ICD-10 includes much more detail 8,000 categories vs. 4,000 in ICD-9.
- ICD-10 uses alphanumeric codes, rather than the numeric codes used in the past
- Cause-of-death titles have been changed, e.g., "Chronic obstructive pulmonary disease" has been re-titled "Chronic lower respiratory disease"
- Medical conditions have been transferred to other classifications, e.g., "Drugs causing adverse effects in therapeutic use" has been removed from the category "Accidents" and placed in a new category entitled "Complications of medical and surgical care"
- Some coding and classification rules have been changed, e.g., "Pneumonia" is much less likely to be selected as the cause of death under ICD-10 rules.

For the above-listed reasons, direct comparisons of causes of death between 1999 and previous years are problematic. To assist data users in understanding these discontinuities, NCHS has developed comparability ratios that can be applied to mortality data from 1994-1998 for most causes of death. In cases where ratios were considered unreliable, NCHS did not publish comparability ratios. For more information on comparability ratios, see "National Vital Statistics Reports, Volume 49, Number 2, May 18, 2001" available on the NCHS web site http://ww2.cdc.gov.nchs

The purpose of a comparability ratio is to measure whether the difference in the number of deaths in a particular cause-of-death category is a reflection of a true change or a result of the change in the classification system. While most causes have a comparability ratio of 1.00 indicating a close match, others, e.g., Alzheimer's Disease (1.55) and Influenza & Pneumonia (0.6982) have less

comparable ratios. The larger the variance from 1.00, the greater the discontinuity in the trend for the specific public health problem causing the death.

In order to compare death rates from certain causes for the years 1999-forward with the death rates for a year or years during the period 1979-1998, the estimated number of deaths from those causes during the early period must be derived by the use of comparability ratios, which were computed by the National Center for Health Statistics from the results of dual coding of certificates according to the old and the new procedures. The comparability ratios are the number of deaths classified to a given cause by the Tenth Revision divided by the number of deaths classified to that cause by the Ninth Revision. Comparability ratios have been published by the National Center for Health Statistics in the *National Vital Statistics Report*, Vol. 49, No. 2, May 18, 2001 and appear in *Table 7 of the Rhode Island Annual Report of Vital Statistics*.

STEP 4: ANALYZING THE DATA

The first three steps have been fairly mechanical:

- (1) Choose the correct events and the correct group to determine the number of events which took place for the geographical areas and time periods.
- (2) Calculate the rates.
- (3) Compare these rates to determine if the differences are statistically significant.

NOW the vital statistician must begin to ask the difficult questions. If we find that two rates are statistically significantly different, how can we find out why they are different? If the differences which we expected did not prove to be significant, is there another item which perhaps is masking an actual difference? Frequently the statistician has to refine the research question and begin all over again.






Figure 1

RHODE ISLAND POPULATION BY SEX AND AGE: 2000 CENSUS SOURCE: POPULATION DIVISION, U.S. CENSUS BUREAU



ANNUAL RHODE ISLAND POPULATION BY SEX AND AGE:

July 1, 2003 ESTIMATE SOURCE: POPULATION DIVISION, U.S. CENSUS BUREAU



AGE



Table A: VITAL STATISTICS SUMMARY

Table A, shown below, compares vital statistics data and averages rates for the five-year period 1999-2003 with average rates for the years 1989-1993. Rates averaged over five years reduce the effect of random fluctuations that may occur when comparing single years.

TABLE A-VITAL STATISTICS SUMMARY: RHODE ISLAND 1999-2003 and 1989-1993 (FIVE YEAR AVERAGES)

(Birth and Mortality Data are for RI Residents; Fetal Death, Marriage and Divorce Data are for RI Occurrences)

	1999-20	003	1989-19	993	Percent change
	Number	Rate	Number	Rate	in rate
Live Births [#]	12,733	12.0	14,633	14.6	-17.5
Deaths#	10,006	9.5	9,553	9.5	-0.71
Infant Mortality*	83	6.5	120	8.2	-20.5
Neonatal Mortality*	66	5.2	87	5.9	-12.8
Perinatal Mortality**	90	7.0	125	8.5	-17.2
Maternal Mortality***	2	1.6	1	0.7	129.8
Fetal Deaths (of 28 weeks or more uterogestation)*	35	2.7	51	3.5	-21.1
Marriages [#]	8,200	7.7	7,666	7.6	1.4
Divorces [#]	3,196	3.0	3,531	3.5	-14.2
Est.Pop. for 2001 and 1991 (median of the 5-year periods)	1,058,6	607	1,003,4	164	

^{*} Rate per 1,000 Population

^{*} Rate per 1,000 Live Births

^{**} Rate per 1,000 Live Births plus Fetal Deaths of 28 Weeks or more Gestation

^{***} Rate per 10,000 Live Births

Figure 4




TABLE 1A -- UNITED STATES CENSUS: POPULATION OF RHODE ISLAND BY RACE, HISPANIC ORIGIN AND SEX: 2000 AND 1990

	Total Population			Male			Female		
RACE	2000	1990	% Change	2000	1990	% Change	2000	1990	% Change
Total	1,048,319	1,003,464	4.50	503,635	481,496	4.60	544,684	521,968	4.40
White	858,433	917,375	-6.40	410,143	438,524	-6.50	448,290	478,851	-6.40
Black	41,922	38,861	7.90	21,106	19,448	8.50	20,816	19,413	7.20
American Indian/ Eskimo/ Aleut Asian	4,181 23,416	4,071	2.70	2,024 11,413	1,966	3.00	2,157 12,003	2,105	2.50
Pacific Islander	320	*	*	158	*	*	162	*	*
Other Race	8,411	*	*	3,996	*	*	4,415	*	*
Two or More Races	20,816	*	*	10,030	*	*	10,786	*	*
Hispanic Origin**	90,820	45,752	98.50	44,765	22,849	95.90	46,055	22,903	101.10

^{*} Comparable statistics not available for 1990

^{**} Persons of Hispanic Origin may be of any race and are not included, as a group, in race numbers

	To	otal Populatio	n		Male			Female	
AGE IN YEARS	2000	1990	% Change	2000	1990	% Change	2000	1990	% Change
All Ages	1,048,319	1,003,464	4.50	503,635	481,496	4.60	544,684	521,968	4.40
Under 5	63,896	66,969	-4.60	32,602	34,384	-5.20	31,294	32,585	-4.00
Under 1	12,206	11,668	4.60	6,195	5,977	3.60	6,011	5,691	5.60
1 - 4	51,690	55,301	-6.50	26,407	28,407	-7.00	25,283	26,894	-6.00
5 - 9	71,905	63,731	12.80	36,910	32,916	12.10	34,995	30,815	13.60
10 - 14	71,370	59,406	20.10	36,766	30,261	21.50	34,604	29,145	18.70
15 - 19	75,445	70,862	6.50	38,199	35,764	6.80	37,246	35,098	6.10
20 - 24	71,813	85,080	-15.60	35,595	42,946	-17.10	36,218	42,134	-14.00
25 - 29	64,732	85,852	-24.60	31,792	42,980	-26.00	32,940	42,872	-23.20
30 - 34	75,594	87,772	-13.90	36,821	43,387	-15.10	38,773	44,385	-12.60
35 - 39	85,364	78,576	8.60	41,812	38,891	7.50	43,552	39,685	9.70
40 - 44	84,946	69,041	23.00	41,452	34,329	20.70	43,494	34,712	25.30
45 - 49	75,429	53,383	41.30	36,702	25,984	41.20	38,727	27,399	41.30
50 - 54	66,434	43,042	54.30	32,660	20,597	58.60	33,774	22,445	50.50
55 - 59	49,982	42,077	18.80	24,024	19,842	21.10	25,958	22,235	16.70
60 - 64	39,007	47,126	-17.20	18,298	21,571	-15.20	20,709	25,555	-19.00
65 - 69	36,023	47,210	-23.70	16,408	20,821	-21.20	19,615	26,389	-25.70
70 - 74	37,661	38,406	-1.90	16,143	15,773	2.30	21,518	22,633	-4.90
75 - 79	34,076	29,669	14.90	13,637	10,964	24.40	20,439	18,705	9.30
80 - 84	23,745	19,246	23.40	8,392	6,036	39.00	15,353	13,210	16.20
85 & over	20,897	16,016	30.50	5,422	4,050	33.90	15,475	11,966	29.30
MEDIAN AGE	36.7	33.9	8.30	35.4	32.4	9.30	38.0	35.4	7.30

Figure 5





TABLE 2 - P	POPULATION O			COUNTY:	
	CENSUS OF 19	90, 2000 AND 2003	BESTIMATE		
City or Town by County	2003 Estimate*	2000 Population	1990 Population	Numeric	% Change
City or Town by County STATE TOTAL	1,076,164	1,048,319	1,003,464	Change 44,855	% Change 4.3%
BRISTOL COUNTY			, ,	1,789	3.5%
	50,989	50,648	48,859	,	
Barrington	16,830	16,819	15,849	970	5.8%
Bristol	22,769	22,469	21,625	844	3.8%
Warren	11,390	11,360	11,385	(25)	-0.2%
KENT COUNTY	171,297	167,090	161,135	5,955	3.6%
Coventry	34,910	33,668	31,083	2,585	7.7%
East Greenwich	13,442	12,948	11,865	1,083	8.4%
Warwick	87,365	85,808	85,427	381	0.4%
West Greenwich	5,584	5,085	3,492	1,593	31.3%
West Warwick	29,996	29,581	29,268	313	1.1%
NEWPORT COUNTY	85,934	85,433	87,194	(1,761)	-2.1%
Jamestown	5,707	5,622	4,999	623	11.1%
Little Compton	3,643	3,593	3,339	254	7.1%
Middletown	17,359	17,334	19,460	(2,126)	-12.3%
Newport	26,136	26,475	28,227	(1,752)	-6.6%
Portsmouth	17,553	17,149	16,857	292	1.7%
Tiverton	15,536	15,260	14,312	948	6.2%
PROVIDENCE COUNTY	639,442	621,602	596,270	25,332	4.1%
Burrillville	16,477	15,796	16,230	(434)	-2.7%
Central Falls	19,287	18,928	17,637	1,291	6.8%
Cranston	81,679	79,269	76,060	3,209	4.0%
Cumberland	33,683	31,840	29,038	2,802	8.8%
East Providence	49,906	48,688	50,380	(1,692)	-3.5%
Foster	4,475	4,274	4,316	(42)	-1.0%
Glocester	10,473	9,948	9,227	721	7.2%
Johnston	29,283	28,195	26,542	1,653	5.9%
Lincoln	22,183	20,898	18,045	2,853	13.7%
North Providence	33,403	32,411	32,090	321	1.0%
North Smithfield	11,008	10,618	10,497	121	1.1%
Pawtucket	74,330	72,958	72,644	314	0.4%
Providence	176,365	173,618	160,728	12,890	7.4%
Scituate	10,850	10,324	9,796	528	5.1%
Smithfield	21,386	20,613	19,163	1,450	7.0%
Woonsocket	44,654	43,224	43,877	(653)	-1.5%

TABLE 2 (Cont.) - POPULATION OF RI CITIES AND TOWNS BY COUNTY									
City or Town by County	2003 Estimate*	2000 Population	1990 Population	Numeric Change	% Change				
WASHINGTON COUNTY	128,502	123,546	110,006	13,540	11.0%				
Charlestown	8,225	7,859	6,478	1,381	17.6%				
Exeter	6,311	6,045	5,461	584	9.7%				
Hopkinton	8,121	7,836	6,873	963	12.3%				
Narragansett	16,938	16,361	14,985	1,376	8.4%				
New Shoreham	1,036	1,010	836	174	17.2%				
North Kingstown	27,353	26,326	23,786	2,540	9.6%				
Richmond	7,691	7,222	5,351	1,871	25.9%				
South Kingstown	29,069	27,921	24,631	3,290	11.8%				
Westerly	23,758	22,966	21,605	1,361	5.9%				

^{*}All population estimates obtained from the Bureau of the Census / www.Census.gov

Figure 6



		2003 (Rates	per 1,000	estimated popul	ation)				
	Live Births			I		Marriages			
	Numb	er	Resident	Number		Resident	Occurrenc	е	
City or Town	Occurrence	Resident	Rate*	Occurrence	Resident	Rate*	Number	Rate ³	
STATE TOTAL	13,824	13,202	12.3	10,219	10,037	9.3	8,347	7.8	
Barrington	0	172	10.2	27	141	8.4	69	4.1	
Bristol	0	207	9.1	156	245	10.8	279	12.0	
Burrillville	0	169	10.3	106	148	9.0	74	4.5	
Central Falls	0	403	20.9	55	155	8.0	71	3.7	
Charlestown	1	82	10.0	18	60	7.3	78	9.5	
Coventry	0	409	11.7	224	326	9.3	110	3.2	
Cranston	0	918	11.2	342	814	10.0	406	5.0	
Cumberland	0	372	11.0	130	272	8.1	187	5.6	
East Greenwich	0	113	8.4	68	113	8.4	85	6.3	
East Providence	0	552	11.1	350	584	11.7	389	7.8	
Exeter	0	72	11.4	17	23	3.6	21	3.0	
Foster	0	41	9.2	12	28	6.3	22	4.9	
Glocester	1	81	7.7	26	87	8.3	36	3.4	
Hopkinton	0	106	13.1	14	62	7.6	38	4.7	
Jamestown	0	45	7.9	20	45	7.9	115	20.2	
Johnston	3	302	10.3	216	365	12.5	91	3.	
Lincoln	0	204	9.2	71	196	8.8	77	3.	
Little Compton	0	32	8.8	9	29	8.0	74	20.3	
Middletown	0	213	12.3	144	176	10.1	174	10.0	
Narragansett	0	133	7.9	31	108	6.4	218	12.9	
New Shoreham	2	16	15.4	2	2	1.9	142	137.	
Newport	695	301	11.5	351	232	8.9	807	30.9	
North Kingstown	1	281	10.3	130	213	7.8	171	6.3	
North Providence	0	367	11.0	578	369	11.0	85	2.	
North Smithfield	0	106	9.6	124	119	10.8	81	7.4	
Pawtucket	696	1,111	14.9	511	666	9.0	690	9.3	
Portsmouth	1	175	10.0	36	146	8.3	174	9.9	
Providence	9,696	3,032	17.2	3,429	1,373	7.8	1,524	8.	
Richmond	0	110	14.3	8	22	2.9	42	5.	
Scituate	0	90	8.3	30	80	7.4	52	4.8	
Smithfield	0	140	6.5	252	280	13.1	121	5.	

TABLE 3 (Cont.) - NUMBER OF LIVE BIRTHS, DEATHS, AND MARRIAGES WITH RATES BY CITY AND TOWN														
RHODE ISLAND: 2003 (Rates per 1,000 estimated population)														
		Live Births	Deaths			Marriages								
	Num	ber	Resident	Numbe	ər	Resident	Occurrences							
City or Town	Occurrence	Resident	Rate*	Occurrence	Resident	Rate*	Number	Rate*						
South Kingstown	575	274	9.4	274	210	7.2	180	6.2						
Tiverton	0	138	8.9	67	174	11.2	73	4.7						
Warren	0	114	10.0	97	138	12.1	69	6.1						
Warwick	1,142	900	10.3	1,169	1,033	11.8	627	7.2						
West Greenwich	0	63	11.3	12	228	40.8	43	7.7						
West Warwick	0	410	13.7	187	257	8.6	162	5.4						
Westerly	435	281	11.8	369	48	2.0	332	14.0						
Woonsocket	576	667	14.9	557	470	10.5	358	8.0						

^{*}Population estimates for cities and towns have been calculated based on state and county estimates obtained from the U.S. Census Bureau.

Figure 7




Figure 8




Figure 9




TABLE 4 - POPULATION, LIVE BIRTHS, DEATHS, MARRIAGES AND DIVORCES WITH RATES PER 1,000 POPULATION: RHODE ISLAND, 1974-2003

		Resident		Resident		Rhode Island Occurrences			
	Live Births		ths	Total Deaths		Marriages		Divorces	
	Population Estimate								
	(Except Census		_		_		_		_
Year	Year)	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1974	940,300	11,337	12.1	9,089	9.7	7,255	7.7	2,522	2.7
1975	927,000	10,724	11.6	8,866	9.6	6,695	7.2	2,658	2.9
1976	927,000	10,786	11.6	9,168	9.9	6,905	7.4	3,276	3.5
1977	935,000	11,617	12.4	9,034	9.7	7,114	7.6	3,420	3.7
1978	935,000	11,515	12.3	8,847	9.5	7,277	7.8	3,475	3.7
1979	929,300	11,860	12.8	9,060	9.7	7,366	7.9	3,603	3.9
1980	947,154	12,166	12.8	9,300	9.8	7,490	7.9	3,593	3.8
1981	952,000	12,430	13.1	9,138	9.6	7,559	7.9	3,413	3.6
1982	958,000	12,499	13.0	8,975	9.4	7,885	8.2	3,619	3.8
1983	955,000	12,576	13.2	9,286	9.7	8,053	8.4	3,525	3.7
1984	961,881	12,647	13.1	9,422	9.8	7,971	8.3	3,642	3.8
1985	968,200	12,996	13.4	9,636	10.0	8,011	8.3	3,698	3.8
1986	975,000	13,324	13.7	9,712	10.0	8,103	8.3	3,684	3.8
1987	986,000	14,041	14.2	9,702	9.8	8,056	8.2	3,684	3.7
1988	993,000	14,179	14.3	9,724	9.8	8,410	8.5	3,794	3.8
1989	998,000	14,769	14.8	9,550	9.6	8,266	8.3	3,626	3.6
1990	1,003,464	15,190	15.1	9,578	9.5	8,134	8.1	3,754	3.7
1991	1,003,464	14,732	14.7	9,391	9.4	7,538	7.5	3,335	3.3
1992	1,001,344	14,500	14.5	9,468	9.5	7,260	7.3	3,581	3.6
1993	999,579	13,974	14.0	9,779	9.8	7,131	7.1	3,359	3.4
1994	996,112	13,467	13.7	9,406	9.4	6,990	7.0	3,235	3.2
1995	991,701	12,765	12.9	9,653	9.7	7,390	7.5	3,674	3.7
1996	990,225	12,649	12.8	9,544	9.6	7,933	8.0	3,234	3.3
1997	987,263	12,450	12.6	9,820	9.9	8,074	8.2	3,171	3.2
1998	987,704	12,598	12.8	9,607	9.7	7,508	7.6	3,263	3.3
1999	990,819	12,364	12.5	9,706	9.8	7,769	7.8	2,841	2.9
2000	1,048,319	12,489	11.9	10,028	9.6	8,010	7.6	3,066	2.9
2001	1,058,604	12,709	12.0	10,018	9.5	8,599	8.1	3,331	3.1
2002	1,068,897	12,894	12.1	10,241	9.6	8,275	7.7	3,388	3.2
2003	1,076,164	13,202	12.3	10,037	9.3	8,347	7.8	3,356	3.1

Figure 10




Figure 11




Figure 12




Figure 13





TABLE 5 - NUMBER OF INFANT, NEONATAL, PERINATAL AND MATERNAL DEATHS WITH RATES **RHODE ISLAND RESIDENTS: 1974-2003**

	INFAI	VT	NEONA	TAL			PERINATA	L DEATH	 S		MATER	RNAL
	DEAT	HS	DEAT	HS	Early Ne	onatal	Late Fetal		ТОТ	AL	DEAT	THS
	(Under On	e Year)	(Under 28	B Days)	(under 7		(28 Weeks		Perin			
Year	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate**	Number	Rate [#]
1974	176	15.5	137	12.1	124	10.9	79	7.0	203	17.8	1	0.9
1975	156	14.5	108	10.1	93	8.7	81	7.6	174	16.1	1	0.9
1976	155	14.4	121	11.2	106	9.8	74	6.9	180	16.6	1	0.9
1977	139	12.0	94	8.1	77	6.6	70	6.0	147	12.6	0	
1978	158	13.7	121	10.5	99	8.6	61	5.3	160	13.8	2	1.7
1979	167	14.1	119	10.0	101	8.5	74	6.2	175	14.7	0	
1980	133	10.9	102	8.4	86	7.1	72	5.9	158	12.9	2	1.6
1981	145	11.7	114	9.2	96	7.7	63	5.1	159	12.7	0	
1982	125	10.0	100	8.0	86	6.9	58	4.6	144	11.5	1	0.8
1983	145	11.5	113	9.0	98	7.8	51	4.1	149	11.8	1	0.8
1984	125	9.9	89	7.0	74	5.9	57	4.5	131	10.3	1	0.8
1985	106	8.2	78	6.0	63	4.8	57	4.4	120	9.2	0	
1986	125	9.4	87	6.5	71	5.3	57	4.3	128	9.6	1	0.8
1987	118	8.4	85	6.1	71	5.1	48	3.4	119	8.4	0	
1988	116	8.2	87	6.1	71	5.0	51	3.6	122	8.6	1	0.7
1989	151	10.2	113	7.7	96	6.5	66	4.5	162	10.9	1	0.7
1990	123	8.1	90	5.9	81	5.3	40	2.6	121	7.9	1	0.7
1991	118	8.0	83	5.6	65	4.4	43	2.9	108	7.3	0	
1992	107	7.4	79	5.4	69	4.8	56	3.9	125	8.6	1	0.7
1993	102	7.3	69	4.9	60	4.3	51	3.6	111	7.9	0	
1994	68	5.0	49	3.6	44	3.3	45	3.3	89	6.6	0	
1995	91	7.1	73	5.7	57	4.5	33	2.6	90	7.0	1	0.8
1996	66	5.2	50	4.0	43	3.4	37	2.9	80	6.3	0	
1997	88	7.1	70	5.6	61	4.9	34	2.7	95	7.6	2	1.6
1998	88	7.0	64	5.1	59	4.7	46	3.6	105	8.3	0	
1999	70	5.7	53	4.3	48	3.9	35	2.8	83	6.7	2	1.6
2000	79	6.3	63	5.0	57	4.6	47	3.8	104	8.3	1	0.8
2001	86	6.8	70	5.5	60	4.7	39	3.1	99	7.8	1	8.0
2002	90	7.0	76	5.9	53	4.1	39	3.0	92	7.1	1	8.0
2003	88 r 1 000 Live B	6.7	66	5.0	57	4.3	20	1.5	77	5.8	3	2.3

^{*} Rate per 1,000 Live Births
** Rate per 1,000 Live Births combined with Late Fetal Deaths

^{*} Rate per 10,000 Live Births

Figure 14



Т	ABLE 6	- RHODE	E ISLA	ND RE	SIDEN	ITS DE	ATHS	BY C	TY OR	TOW	N OF F	RESIDE	ENCE I	BY AG	E: 200	3		
City or Town		Age < 1	01-04	05-09	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
RHODE ISLAND	10,037	88	10	8	8	46	56	153	315	593	402	449	597	873	1315	1743	1704	1676
Barrington	141	0	0	0	0	1	0	1	2	9	6	4	10	12	17	26	24	29
Bristol	245	3	0	0	0	3	1	1	7	8	4	7	13	24	37	49	40	48
Burrillville	148	0	1	0	0	0	0	1	3	8	8	10	14	12	19	27	21	24
Central Falls	155	1	0	1	0	1	2	5	10	12	5	6	8	9	13	34	23	25
Charlestown	60	0	0	0	0	0	0	1	1	2	5	3	5	10	7	14	7	5
Coventry	326	2	0	0	0	1	7	13	9	25	13	12	18	32	45	53	59	37
Cranston	814	2	0	4	0	5	3	12	21	49	33	31	35	76	135	149	129	130
Cumberland	272	1	0	0	0	0	2	1	7	13	7	11	20	28	28	53	58	43
East Greenwich	113	0	0	0	0	1	0	0	3	10	2	4	2	5	16	21	22	27
East Providence	584	1	1	0	1	3	1	6	10	25	23	19	46	58	73	112	101	104
Exeter	23	0	1	0	0	0	0	2	2	1	2	0	0	1	2	4	1	7
Foster	28	0	0	0	0	0	0	0	2	2	1	2	3	3	7	1	6	1
Glocester	87	1	0	0	1	0	1	1	5	7	9	6	4	10	7	13	8	14
Hopkinton	62	1	0	1	1	0	1	2	2	2	3	4	4	5	10	12	6	8
Jamestown	45	1	0	0	0	0	0	1	0	4	4	7	3	0	6	7	4	8
Johnston	365	2	0	0	0	2	5	8	10	16	10	15	21	40	56	63	54	63
Lincoln	196	3	0	0	0	1	1	1	12	9	6	7	10	21	21	30	41	33
Little Compton	29	0	0	0	0	1	0	0	0	0	2	1	4	5	2	2	7	5
Middletown	176	0	1	0	0	1	0	2	4	12	4	8	14	8	23	33	24	42
Narragansett	108	2	0	0	0	0	1	2	2	4	10	3	6	6	18	13	24	17
New Shoreham	2	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0
Newport	232	3	0	0	1	1	1	0	4	12	5	9	12	20	32	45	38	49
North Kingstown	213	7	1	0	0	2	4	3	6	17	8	5	18	16	26	38	30	32
North Providence	369	1	2	0	0	3	0	3	10	21	9	22	23	36	53	64	59	63
North Smithfield	119	0	0	0	0	0	0	0	3	5	5	5	4	10	11	16	30	30
Pawtucket	666	10	1	0	1	3	4	7	25	46	34	33	46	55	79	99	114	109
Portsmouth	146	2	0	0	0	0	1	2	2	9	8	10	8	11	14	35	27	17
Providence	1,373	26	0	0	0	10	10	35	53	108	66	73	90	125	178	201	179	218
Richmond	22	0	0	0	0	0	0	0	1	5	2	0	1	3	1	6	2	1
Scituate	80	0	0	0	0	1	0	1	3	3	7	2	6	3	15	13	13	13
Smithfield	280	1	0	0	0	0	3	1	4	9	6	7	9	15	26	37	90	72
South Kingstown	210	0	0	1	0	1	0	3	6	10	9	8	8	16	31	43	37	37
Tiverton	174	1	0	0	0	0	1	2	3	10	8	12	9	14	27	27	35	25
Warren	138	0	0	0	0	0	0	2	5	6	4	11	9	9	19	24	21	28
Warwick	1,033	2	0	1	0	1	3	14	36	69	33	35	62	84	133	229	182	149
West Greenwich	228	5	0	0	2	1	0	8	11	10	14	10	7	25	40	30	45	20
West Warwick	257	3	1	0	0	1	1	3	11	2	11	19	11	15	27	43	54	55
Westerly	48	0	0	0	0	0	1	1	2	2	1	2	7	7	10	3	8	4
Woonsocket	470	7	1	0	1	2	2	7	18	31	15	26	26	44	51	74	81	84

Figure 15




	TABLE 7 - RI RESIDENT DEATHS AND	DEATH F				CAUSES	OF DE	ATH: 1999	9-2003		
		2000	3	200	2	200 ⁻	1	2000)	1999	9
Rank	Cause of Death Category, ICD 10*	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1	Diseases of Heart [I00-I09, I11, I13, I20-I51]	3009	279.6	3108	290.8	3083	291.2	3114	297.0	3007	303.5
2	Malignant neoplasms (cancer) [C00-C97]	2328	216.3	2399	224.4	2400	226.7	2432	232.0	2466	248.9
3	Cerebrovascular diseases [I60-I69]	564	52.4	604	56.5	617	58.3	581	55.4	632	63.8
4	Chronic lower respiratory diseases [J40-J47]	495	46.0	520	48.6	514	48.6	499	47.6	497	50.2
5	Unintentional injuries (Accidents) [V01-X59, Y85-Y86]	390	36.2	275	25.7	284	26.8	234	22.3	241	24.3
6	Alzheimer's disease [G30]	303	28.2	265	24.8	253	23.9	242	23.1	219	22.1
7	Influenza and pneumonia [J10-J18]	267	24.8	320	29.9	294	27.8	343	32.7	301	30.4
8	Diabetes mellitus [E10-E14]	252	23.4	263	24.6	264	24.9	291	27.8	236	23.8
9	Nephritis, nephrotic syndrome & nephrosis [N00-N07, N17-N19, N25-N27]	149	13.8	142	13.3	117	11.1	122	11.6	109	11.0
10	Septicemia [A40-A41]	127	11.8	134	12.5	136	12.8	139	13.3	85	8.6
11	Chronic liver disease & cirrhosis [K70, K73-K74]	94	8.7	128	12.0	96	9.1	128	12.2	119	12.0
12	Intentional self-harm (suicide) [U03, X60-X84, Y87.0]	84	7.8	85	8.0	88	8.3	74	7.1	97	9.8
13	Pneumonitis due to solids and liquids [J69]	76	7.1	65	6.1	86	8.1	74	7.1	58	5.9
14	Benign neoplasms**[D00-D48]	71	6.6	61	5.7	60	5.7	50	4.8	44	4.4
15	Parkinson's disease [G20-G21]	69	6.4	87	8.1	74	7.0	41	3.9	55	5.6
16	Aortic aneurysm & dissection [I71]	61	5.7	47	4.4	70	6.6	72	6.9	58	5.9
17	Certain conditions arising in the perinatal period [P00-P96]	58	5.4	50	4.7	57	5.4	55	5.2	40	4.0
18	Atherosclerosis [I70]	57	5.3	65	6.1	91	8.6	83	7.9	76	7.7
19	Essential (primary) hypertension & hypertensive renal disease [I10-I12]	51	4.7	51	4.8	55	5.2	41	3.9	52	5.2
20	Human immunodeficiency virus (HIV) Disease [B20-B24]	31	2.9	43	4.0	33	3.1	40	3.8	33	3.3
*For	complete category title, see Tenth Revision, International Classification	of Diseases, 1	992.								

Figure 16




	TABLE	8 - SELEC	TED HE	EALTH	CHARA	ACTER	RISTI	CS FOR I	RHODE	ISL	AND RES	SIDENTS				
		BY CITY O	R TOWN	FIVE Y	1			1		TES	1					
		De	aths		Infa	nt Death		Live	Births		Unmarri	ed Mothers		Low Birt	h Weight Infan	its
City or Town	2000 Population	Num.	Avg. R	ate (A)	Num.	Avg. I (B		Num.	Avg. R (A)	ate	Num.	Ratio (B)		Num.	Ratio (B)	
Rhode Island	1,048,319	50,028	9.5		412	6.5		63,667	12.1		22,534	353.9		4,906	77.1	
Barrington	16,819	608	7.2		1	1.2		847	10.1		41	48.4		33	39.0	
Bristol	22,469	1,255	11.2		7	6.7		1,045	9.3		221	211.5		72	68.9	
Burrillville	15,796	707	9.0		1	1.2		821	10.4		208	253.3		72	87.7	
Central Falls	18,928	852	9.0		13	7.0		1,866	19.7		1,151	616.8		141	75.6	
Charlestown	7,859	297	7.6		2	4.3	(C)	460	11.7		108	234.8	(C)	24	52.2	(C)
Coventry	33,668	1,611	9.6		11	5.5		2,005	11.9		422	210.5		168	83.8	
Cranston	79,269	3,978	10.0		19	4.4		4,314	10.9		1,076	249.4		287	66.5	
Cumberland	31,840	1,336	8.4		13	7.2		1,813	11.4		262	144.5		149	82.2	
East Greenwich	12,948	520	8.0		2	3.6		559	8.6		70	125.2		31	55.5	
East Providence	48,688	3,094	12.7		14	5.6		2,491	10.2		828	332.4		178	71.5	
Exeter	6,045	157	5.2		0	0.0	(C)	342	11.3		81	236.8	(C)	18	52.6	(C)
Foster	4,274	153	7.2	(D)	3	15.2	(C)	198	9.3	(D)	31	156.6	(C)	23	116.2	(C)
Glocester	9,948	344	6.9		5	11.7	(C)	427	8.6		66	154.6	(C)	22	51.5	(C)
Hopkinton	7,836	296	7.6		3	6.4	(C)	468	11.9		103	220.1	(C)	42	89.7	(C)
Jamestown	5,622	245	8.7		1	4.9	(C)	206	7.3		22	106.8	(C)	10	48.5	(C)
Johnston	28,195	1,807	12.8		9	6.1		1,478	10.5		349	236.1		132	89.3	
Lincoln	20,898	934	8.9		11	11.0		1,003	9.6		182	181.5		65	64.8	
Little Compton	3,593	179	10.0	(D)	2	11.0	(C)	182	10.1	(D)	17	93.4	(C)	23	126.4	(C)
Middletown	17,334	886	10.2		3	2.8		1,085	12.5		181	166.8		60	55.3	
Narragansett	16,361	580	7.1		5	7.9		631	7.7		124	196.5		48	76.1	
New Shoreham	1,010	48	9.5	(D)	0	0.0	(C)	54	10.7	(D)	18	333.3	(C)	2	37.0	(C)
Newport	26,475	1,134	8.6		7	4.4		1,586	12.0		711	448.3		92	58.0	
North Kingstown	26,326	1,040	7.9		7	4.6		1,510	11.5		267	176.8		88	58.3	
North Providence	32,411	1,914	11.8		9	5.6		1,603	9.9		427	266.4		129	80.5	
North Smithfield	10,618	623	11.7		1	1.9		533	10.0		76	142.6		40	75.0	
Pawtucket	72,958	3,463	9.5		41	7.8		5,279	14.5		2,659	503.7		441	83.5	
Portsmouth	17,149	613	7.1		5	5.6		886	10.3		107	120.8		55	62.1	
Providence	173,618	7,086	8.2		134	9.3		14,370	16.6		8,130	565.8		1,321	91.9	
Richmond	7,222	175	4.8		0	0.0		510	14.1		81	158.8		34	66.7	
Scituate	10,324	373	7.2		3	6.3	(C)	477	9.2		62	130.0	(C)	33	69.2	(C)
Smithfield	20,613	1,278	12.4		2	2.6		773	7.5		101	130.7		54	69.9	
South Kingstown	27,921	980	7.0		3	2.3		1,295	9.3		223	172.2		73	56.4	
Tiverton	15,260	709	9.3		3	4.2		716	9.4		141	196.9		40	55.9	
Warren	11,360	742	13.1		4	7.0		573	10.1		156	272.3		53	92.5	
Warwick	85,808	4,914	11.5		19	4.3		4,438	10.3		1,025	231.0		358	80.7	
West Greenwich	5,085	144	5.7		1	3.3	(C)	306	12.0		42	137.3	(C)	13	42.5	(C)
West Warwick	29,581	1,334	9.0		15	7.4		2,037	13.8		756	371.1		143	70.2	
Westerly	22,966	1,207	10.5		9	6.8		1,327	11.6		378	284.9		76	57.3	
Woonsocket	43,224	2,412	11.2		24	7.6		3,153	14.6		1,631	517.3		263	83.4	

⁽A) Average rate per 1,000 population according to the 2000 census

⁽B) Average ratio per 1,000 live births 1999-2003

⁽C) Rate based on a denominator of less than 500 live births and may be statistically unreliable

⁽D) Rate based on a denominator of less than 5,000 population and may be statistically unreliable

TO UNMARRIED	MOTHERS PER 1,000 LIVE	BIRTHS: 1980-2003
Year	Number	Rate per 1000
ı Gai	Number	Trate per 1000
1980	1,904	156.5
1981	1,966	158.2
1982	2,009	160.7
1983	2,220	176.5
1984	2,241	177.2
1985	2,543	195.7
1986	2,640	198.1
1987	3,050	217.2
1988	3,254	229.5
1989	3,685	249.5
1990	3,988	262.5
1991	4,078	276.8
1992	4,287	295.7
1993	4,433	317.2
1994	4,320	320.8
1995	3,966	310.7
1996	4,203	332.3
1997	4,110	330.1
1998	4,259	338.1
1999	4,239	342.9
2000	4,429	354.6
2001	4,560	358.8
2002	4,592	356.1
2003	4,714	357.1

Figure 17




	TABLE 10	- RHODE IS	LAND RESIDENT	BIRTHS T	O UNMARE	RIED MOTH	ERS
	WI	TH RATIO PE	R 1,000 TOTAL BIR	THS IN SPE	CIFIED AGE	GROUP	
					Age of Mothe	ers	
Year		Total	Under 20	20-24	25-29	30-34	35 and Up
	Number	4,320	1,272	1,586	849	419	194
1994	Ratio	320.8	890.1	556.3	213.3	118.1	117.0
	Number	3,966	1,161	1,390	779	404	232
1995	Ratio	310.7	898.6	549.8	213.1	113.7	133.6
	Number*	4,203	1,204	1,528	829	411	231
1996	Ratio	332.3	914.9	608.0	235.4	117.1	129.2
	Number	4,110	1,190	1,480	806	434	200
1997	Ratio	330.1	889.4	602.6	235.1	127.0	110.6
	Number	4,259	1,187	1,589	807	429	246
1998	Ratio	338.1	894.5	629.6	243.1	124.2	124.6
	Number	4,239	1,113	1,525	888	471	242
1999	Ratio	342.9	897.6	614.4	270.0	138.5	124.0
	Number	4,429	1,174	1,681	862	422	290
2000	Ratio	354.4	917.9	647.0	264.8	125.6	144.5
	Number	4,560	1,145	1,701	943	476	295
2001	Ratio	358.8	910.2	647.0	299.1	134.2	139.0
	Number	4,592	1,098	1,765	919	516	294
2002	Ratio	356.1	903.0	660.1	286.3	146.1	129.9
	Number	4,714	988	1,851	1,012	525	338
2003	Ratio	357.1	904.8	674.3	301.6	146.1	139.9

* Includes one or more items with age not stated.

²⁸

Figure 18





TABLE 11 - RI RESIDENT LIVE BIRTHS BY AGE AND AGE GROUP OF MOTHER AND LIVE BIRTH ORDER OF CHILD: 2003

		Birth Order											
Age of Mother	Total	First	Second	Third	Forth	Fifth	Sixth	Seventh	Eighth or More	Unknown			
All Ages Total*	13202*	5,525	4,250	1,996	767	268	83	46	43	224			
Under 15 years	15	15	0	0	0	0	0	0	0	0			
15 Years	52	49	1	0	0	0	0	0	0	2			
16 Years	124	114	5	0	0	0	0	0	0	5			
17 Years	210	180	21	3	1	0	0	0	0	5			
18 Years	295	225	52	9	0	0	0	0	0	9			
19 Years	396	297	77	15	2	0	0	0	0	5			
20 Years	492	318	115	36	8	1	0	0	0	14			
21 Years	525	289	147	55	17	4	0	1	3	9			
22 Years	538	259	176	63	21	6	0	0	0	13			
23 Years	611	273	196	92	28	7	2	1	0	12			
24 Years	579	216	200	100	37	13	1	1	1	10			
25-29 Years	3,355	1,370	1,130	525	179	75	23	7	7	39			
30-34 Years	3,594	1,295	1,297	599	245	68	19	11	14	46			
35-39 Years	1,965	517	694	417	177	68	27	15	8	42			
40-44 Years	427	103	134	78	49	25	10	9	9	10			
45+ Years	23	5	5	4	3	1	1	1	1	2			

^{*}Total may include births of unknown

Figure 19



_		TABLE	12 - RF	ODE IS	LAND F	RESIDE	NT LIVE	BIRTH	S			
		BY AGE	OF MO	THER AN	D BIRTH	H WEIGH	T OF CH	IILD: 200)3			
						Birth W	eight in G	rams*				
			Low	Birth Weig	Jht [#]							
Age of Mother	Total** All Live Resident Births	Low Birth Weight Total [#]	1000 or less	1001- 1500	1501- 2000	2001- 2500	2501- 3000	3001- 3500	3501- 4000	4000- 4500	4501- 5000	5001 and over
All Ages	13,202	1,139	137	101	262	639	2,083	4,972	3,761	1,065	150	13
Under 15 Years 15 Years	15 52	3	1 0	0	1	1	2 16	6 19	4 12	0	0	0
16 Years	124	17	0	0	6	11	27	49	25	5	0	0
17 Years	210	18	0	0	2	16	50	76	51	13	1	0
18 Years	295	28	5	1	4	18	71	119	62	14	1	0
19 Years	396	53	3	2	14	34	60	150	106	25	0	2
20 Years	492	50	9	2	11	28	83	208	120	29	1	0
21 Years	525	48	9	0	9	30	109	208	130	23	5	1
22 Years	538	37	5	2	4	26	94	219	149	34	4	0
23 Years	611	49	7	1	8	33	94	249	178	36	5	0
24 Years	579	44	2	8	11	23	79	227	170	58	1	0
25-29 Years	3,355	229	27	20	51	131	518	1,289	984	284	45	3
30-34Years	3,594	302	41	35	80	146	510	1,284	1,098	337	52	6
35-39 Years	1,965	195	24	17	50	104	311	701	558	167	28	1
40-44 Years	427	56	4	10	11	31	56	161	109	37	7	0
45-49 Years	22	6	0	2	0	4	3	7	5	1	0	0
50+ Years	1	0	0	0	0	0	0	0	0	1	0	0

^{*} The equivalent of the gram weights in terms of pounds an ounces are as follows:

1000 GR OR LESS - 2 LB 3 OZ OR LESS

1001 - 1500 GR = 2 LB 4 OZ - 3 LB 4 OZ

1501 - 2000 GR = 3 LB 5 OZ - 4 LB 6 OZ

** Total may include births of unknown weight

2501 - 3000 GR = 5 LB 9 OZ - 6 LB 9 OZ

3001 - 3500 GR = 6 LB 10 OZ - 7 LB 11 OZ

3501 - 4000 GR = 7 LB 12 OZ - 8 LB 13 OZ

4001 - 4500 GR = 8 LB 14 OZ - 9 LB 14 OZ

4501 - 5000 GR = 9 LB 15 OZ - 11 LB 0 OZ

5001 GR OR More = 11 LB 1 OZ OR More

^{2001 - 2500} GR = 4 LB 7 OZ - 5 LB 8 OZ

[,]

[#] Low birth weight refers to infants who weighed 2500 grams (5 Lb 8 Oz) or less

Figure 20




TABLE 13 - RHODE ISLAND RESIDENT PLURAL LIVE BIRTHS BY AGE OF MOTHER AND BIRTH WEIGHT OF CHILD: 2003

			Birth Weight in Grams*											
						Birth Weigh	nt in Grams	*			г			
			Low	Birth Weigh	nt [#]									
Age of Mother	Total** Plural Births	Total with Low Brith Weight	1000 or less	1001- 1500	1501- 2000	2001- 2500	2501- 3000	3001- 3500	3501- 4000	4501- 5000	5001 and over			
All Ages	556	341	47	41	99	154	142	63	8	0	0			
Under 15 Years	0	0	0	0	0	0	0	0	0	0	0			
15 Years	0	0	0	0	0	0	0	0	0	0	0			
16 Years	0	0	0	0	0	0	0	0	0	0	0			
17 Years	2	1	0	0	0	1	1	0	0	0	0			
18 Years	4	2	0	0	0	2	2	0	0	0	0			
19 Years	14	12	2	0	5	5	1	1	0	0	0			
20 Years	10	4	0	0	3	1	3	3	0	0	0			
21 Years	17	12	3	0	2	7	4	1	0	0	0			
22 Years	7	4	3	0	0	1	2	1	0	0	0			
23 Years	7	7	1	0	4	2	0	0	0	0	0			
24 Years	21	17	0	4	6	7	3	0	1	0	0			
25-29 Years	99	63	13	5	15	30	26	8	1	0	0			
30-34 Years	196	117	11	18	40	48	52	25	2	0	0			
35-39 Years	140	77	11	6	21	39	40	18	4	0	0			
40-44 Years	33	20	3	6	3	8	8	5	0	0	0			
45-49 Years	6	5	0	2	0	3	0	1	0	0	0			
50+ Years	0	0	0	0	0	0	0	0	0	0	0			

^{*} See table 12 for equivalent weight in pounds and ounces

^{**} Total may include births of unknown weight

^{*}Low birth weight refers to infants who weighed 2500 grams (5 Lb 8 Oz) or less

TABLE 14 -	RHODE IS	SLAND RE	SIDENTS BI	RTHS BY	CITY OR	TOWN, RA	ACE OF MO	THER AND	SELECT	TED CHAR	ACTERISTI	CS
		All F	Races			W	/hite			Non	White	
City or Town	Total Births	Born in Hospital	Unmarried Mother	Low Birth Weight	Total Births	Born in Hospital	Unmarried Mother	Low Birth Weight	Total Births	Born in Hospital	Unmarried Mother	Low Birth Weight
Rhode Island	13,202	13,175	4,714	1,139	11,141	11,121	3,570	888	2,061	2,054	1,144	251
Barrington	172	172	5	10	163	163	5	10	9	9	0	0
Bristol	207	207	39	20	204	204	37	20	3	3	2	0
Burrillville	169	169	48	8	168	168	47	8	1	1	1	0
Central Falls	403	403	247	24	339	339	205	18	64	64	42	6
Charlestown	82	81	19	2	77	76	16	2	5	5	3	0
Coventry	409	409	86	43	395	395	81	39	14	14	5	4
Cranston	918	916	255	76	805	803	221	66	113	113	34	10
Cumberland	372	372	57	26	352	352	51	22	20	20	6	4
East Greenwich	113	113	11	10	107	107	10	10	6	6	1	0
East Providence	552	552	181	49	459	459	128	35	93	93	53	14
Exeter	72	72	15	5	70	70	14	5	2	2	1	0
Foster	41 81	41	7	7 4	41 78	41	7	7	0 3	0	0	0
Glocester Hopkinton	106	79 106	11 19	4 12	76 102	76 102	11 17	4 10	3 4	3 4	0	0 2
Jamestown	45	45	7	0	42	42	6	0	3	3	1	0
	302	300	7 77	38	288	286	73	35	3 14	3 14	4	3
Johnston											•	
Lincoln	204	203	37	13	191	190	34	11	13	13	3	2
Little Compton	32	32	4	6	32	32	4	6	0	0	0	0
Middletown	213	213	33	13	180	180	29	8	33	33	4	5
Narragansett	133	133	26	13	125	125	22	9	8	8	4	4
New Shoreham	16	15	3	1	16	15	3	1	0	0	0	0
Newport	301	299	119	17	248	246	88	17	53	53	31	0
North Kingstown	281	280	47	25	270	269	43	22	11	11	4	3
North Providence	367	367	93	40	298	298	73	32	69	69	20	8
North Smithfield	106	106	18	6	105	105	18	6	1	1	0	0
Pawtucket	1,111	1,108	554	106	797	796	356	72	314	312	198	34
Portsmouth	175	174	29	11	163	162	28	10	12	12	1	1
Providence	3,032	3,024	1,691	301	2,114	2,109	1,085	176	918	915	606	125
Richmond	110	110	17	10	105	105	16	10	5	5	1	0
	90	90	12	5	88	88	11	5	2	2	. 1	0
Scituate	140	140	21	15	136	136	20		4	4	1	_
Smithfield								14	-		•	1
South Kingstown	274	274	47	9	243	243	35	6	31	31	12	3
Tiverton	138	138	30	11	136	136	29	11	2	2	1	0
Warren	114	113	28	9	112	111	28	9	2	2	0	0
Warwick	900	900	210	76	839	839	196	72	61	61	14	4
West Greenwich	63	63	13	3	62	62	12	3	1	1	1	0
West Warwick	410	410	146	30	377	377	131	26	33	33	15	4
Westerly	281	281	82	21	269	269	78	21	12	12	4	0
Woonsocket	667	665	370	64	545	545	302	50	122	120	68	14

TA	ABLE 15 - R	HODE IS	LAND	RESIDE	NT LIVE I	BIRTHS E	BY CITY (OR TOWN	BY MON	NTH: 200	3		
City or Town	Total	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Rhode Island	13,202	1,086	978	1,084	1,058	1,135	1,073	1,241	1,173	1,164	1,146	1,003	1,061
Barrington	172	14	17	12	6	12	17	14	22	13	15	11	19
Bristol	207	18	13	14	15	19	16	25	29	16	16	9	17
Burrillville	169	12	15	14	20	16	17	14	17	9	14	12	9
Central Falls	403	33	30	42	29	30	30	44	35	42	29	27	32
Charlestown	82	4	5	10	7	8	7	8	4	4	8	7	10
Coventry	409	41	26	18	31	32	29	41	45	43	38	32	33
Cranston	918	72	58	79	65	81	95	86	91	81	66	76	68
Cumberland	372	28	21	20	32	46	32	39	28	37	28	38	23
East Greenwich	113	16	9	8	12	9	9	11	7	11	10	5	6
East Providence	552	50	39	46	41	46	45	50	47	63	38	40	47
Exeter	72	6	3	8	4	8	5	6	8	10	6	6	2
Foster	41	3	1	5	3	2	2	2	6	1	7	6	3
Glocester	81	8	7	7	10	9	7	9	4	3	9	4	4
Hopkinton	106	6	9	9	10	12	16	11	2	12	9	5	5
Jamestown	45	6	4	4	3	3	7	3	4	1	5	1	4
Johnston	302	14	31	27	23	28	26	37	25	19	28	24	20
Lincoln	204	18	13	17	11	9	18	24	20	20	17	12	25
Little Compton	32	6	2	6	2	1	5	1	1	0	1	3	4
Middletown	213	15	11	27	16	9	16	27	29	9	20	19	15
Narragansett	133	10	8	9	20	14	6	8	10	13	14	7	14
New Shoreham	16	2	1	1	1	2	0	1	3	1	3	1	0
Newport	301	33	19	25	26	25	17	31	27	24	28	20	26
North Kingstown	281	20	13	25	25	29	25	23	30	27	22	15	27
North Providence	367	24	26	35	40	26	29	33	32	31	27	33	31
North Smithfield	106	13	11	16	4	8	6	9	10	9	11	5	4
Pawtucket	1,111	92	86	95	87	85	75	95	104	114	103	77	98
Portsmouth	175	13	13	15	12	12	16	24	11	13	19	13	14
Providence	3,032	255	229	227	237	269	252	275	253	261	268	256	250
Richmond	110	6	5	10	12	14	11	7	13	14	6	4	8
Scituate	90	8	12	10	6	9	4	9	6	9	7	2	8
Smithfield	140	6	14	15	15	12	12	12	11	11	9	11	12
South Kingstown	274	22	18	20	20	22	22	27	19	26	23	20	35
Tiverton	138	12	11	10	8	15	11	11	12	17	13	6	12
Warren	114	7	11	8	8	15	7	6	9	11	18	9	5
Warwick	900	73	73	76	76	66	75	92	70	84	84	70	61
West Greenwich	63	0	6	3	8	4	4	7	9	9	8	3	2
West Warwick	410	41	44	31	29	34	33	28	34	25	41	28	42
Westerly	281	22	23	31	29	27	16	21	22	23	25	22	20
Woonsocket	667	57	41	49	55	67	53	70	64	48	53	64	46

Figure 21




TABLE 16 - I	RI RESIDE	NT BIRTHS B	Y SELECTED I	NATALITY DA	TA BY CITY C	R TOWN: 2	003	
					PRENATAL	CARE BEGAN		
	Total	Low Birth	With Mal-	1st to 3rd	4th to 6th	7th to 9th	No	Not
City or Town	Births	Weight	formations	Month	Month	Month	Care	Stated
Rhode Island	13,202	1,139	635	10,989	979	116	22	1,096
Barrington	172	10	9	159	5	0	0	8
Bristol	207	20	9	181	16	1	1	8
Burrillville	169	8	3	149	12	1	0	7
Central Falls	403	24	22	280	53	10	1	59
Charlestown	82	2	3	75	5	2	0	0
Coventry	409	43	26	382	19	0	0	8
Cranston	918	76	37	802	49	4	0	63
Cumberland	372	26	19	336	19	3	0	14
East Greenwich	113	10	5	103	4	0	0	6
East Providence	552	49	24	476	32	2	1	41
Exeter	72	5	4	65	4	0	0	3
Foster	41	7	2	39	2	0	0	0
Glocester	81	4	7	71	7	0	0	3
Hopkinton	106	12	2	96	6	2	0	2
Jamestown	45	0	2	42	3	0	0	0
Johnston	302	38	10	272	9	0	0	21
Lincoln	204	13	8	179	10	2	0	13
Little Compton	32	6	1	29	1	0	0	2
Middletown	213	13	9	183	18	2	0	10
Narragansett	133	13	7	118	11	0	1	3
New Shoreham	16	1	0	12	2	1	1	0
Newport	301	17	10	249	39	2	0	11
North Kingstown	281	25	11	258	11	2	0	10
North Providence	367	40	26	321	16	3	1	26
North Smithfield	106	6	4	95	6	2	0	3
Pawtucket	1,111	106	68	861	105	12	3	130
Portsmouth	175	11	7	164	7	0	0	4
Providence	3,032	301	177	2,182	283	30	10	527
Richmond	110	10	5	102	5	1	0	2
Scituate	90	5	3	83	3	0	0	4
Smithfield	140	15	8	132	3	0	0	5
South Kingstown	274	9	14	250	14	5	0	5
Tiverton	138	11	4	126	7	1	1	3
Warren	114	9	4	104	6	0	0	4
Warwick	900	76	27	816	35	7	1	41
West Greenwich	63	3	2	60	2	0	0	1
West Warwick	410	30	17	365	29	1	1	14
Westerly	281	21	10	240	30	6	0	5
Woonsocket	667	64	29	532	91	14	0	30

TABLE 16A - RI RE	ESIDENT BIRT		RIED MOTHER	RS,
	To	tal Under Age	Unmarrie	d Mothers Under Age
City or Town	Births	20	Total	20
Rhode Island	13,202	1,092	4,714	988
Barrington	172	0	5	0
Bristol	207	6	39	6
Burrillville	169	7	48	7
Central Falls	403	72	247	64
Charlestown	82	5	19	5
Coventry	409	15	86	14
Cranston	918	57	255	51
Cumberland	372	15	57	15
East Greenwich	113	*	11	*
East Providence	552	41	181	37
Exeter	72	*	15	*
Foster	41	*	7	*
Glocester	81	*	11	*
Hopkinton	106	*	19	*
Jamestown	45	*	7	*
Johnston	302	15	77	14
Lincoln	204	10	37	8
Little Compton	32	0	4	0
Middletown	213	6	33	5
Narragansett	133	*	26	*
New Shoreham	16	0	3	0
Newport	301	20	119	18
North Kingstown	281	10	47	6
North Providence	367	19	93	16
North Smithfield	106	*	18	*
Pawtucket	1,111	107	554	96
Portsmouth	175	6	29	6
Providence	3,032	428	1,691	388

TABLE 16A (CONT) - RI RES	IDENT BIRTHS UNI	MARRIE	D MOTHERS,
	BY AGE	BY CITY OR TOWN		
		Total	Unr	married Mothers
City or Town	Births	Under Age 20	Total	Under Age 20
Richmond	110	*	17	*
Scituate	90	*	12	*
Smithfield	140	*	21	*
South Kingstown	274	9	47	7
Tiverton	138	8	30	8
Warren	114	*	28	*
Warwick	900	51	210	45
West Greenwich	281	20	82	18
West Warwick	63	*	13	*
Westerly	410	26	146	24
Woonsocket	667	107	370	100
* Less than 5				

TABLE 17 - RI OCCURRENCE FETAL DEATHS BY RACE OF MOTHERS, **WEEKS OF UTEROGESTATION AND MODE OF DELIVERY** Race Weeks of Uterogestation Non-Unknown White Under 20 Mode of Delivery Total white 20 - 27 28 and over Unknown **TOTAL** 6,801 4,591 1,409 801 6,658 67 20 56 Spontaneous 1,319 801 159 359 1221 35 20 43 Induced 5,482 3,790 1,250 442 5437 32 0 13

	7A - RHODE ISLAN H OF DELIVERY BY V				
			Weeks of Ute	erogestation	
Month	Total	Under 20	20 - 27	28 and over	Unknown
Total	6,801	6,658	67	20	56
January	693	680	8	2	3
February	544	535	2	1	6
March	637	619	10	3	5
April	553	544	6	0	3
May	639	628	4	3	4
June	526	510	7	4	5
July	534	527	2	1	4
August	600	586	6	1	7
September	504	494	6	1	3
October	545	532	7	0	6
November	507	497	5	0	5
December	519	506	4	4	5

TABLE 18 - RH	ODE ISLAND RESIDEN OTHER'S RESIDENCE A	_	_
City or Town	All Fetal Deaths	Spontaneous	Induced
Rhode Island	5,352	1,208	4,144
Barrington	40	17	23
Bristol	77	19	58
Burrillville	53	19	34
Central Falls	126	25	101
Charlestown	20	5	15
Coventry	102	26	76
Cranston	355	64	291
Cumberland	80	29	51
East Greenwich	42	21	21
East Providence	240	51	189
Exeter	20	2	18
Foster	21	8	13
Glocester	18	6	12
Hopkinton	21	5	16
Jamestown	19	4	15
Johnston	105	30	75
Lincoln	64	19	45
Little Compton	5	1	4
Middletown	67	14	53
Narragansett	48	14	34
New Shoreham	5	1	4
Newport	138	31	107
North Kingstown	75	16	59
North Providence	187	52	135
North Smithfield	22	9	13
Pawtucket	535	110	425
Portsmouth	47	17	30
Providence	1,764	334	1,430
Richmond	21	4	17
Scituate	36	15	21
Smithfield	61	21	40
South Kingstown	73	10	63
Tiverton	27	3	24
Warren	49	13	36
Warwick	321	71	250
West Greenwich	16	3	13
West Warwick	142	20	122
Westerly	64	19	45
Woonsocket	246	80	166

TABLE 19 - SP	ONTAN	IEOUS FET	AL DEATI	HS OF 20	WEEKS	OR MO	RE UTEI	ROGEST	ATION	_
OCCURR	ING IN F	HODE ISLA	ND BY WE	IGHT OF	FETUS AN	ND AGE	OF MOTH	IER: 2003	3	
		Percent of Total				Age of N	Mother			
Fetal Weight in Grams	Total	Spontaneous Fetal Deaths	Under 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45 and older	Unknown
Total (all weight)	55	100.0	6	14	12	10	10	3	0	0
1,000 OR LESS	25	45.5	5	6	4	5	3	2	0	0
1,001 - 1,500	5	9.1	0	1	2	2	0	0	0	0
1,501 - 2,000	1	1.8	0	0	0	0	1	0	0	0
2,001 - 2,500	4	7.3	0	2	0	1	1	0	0	0
Total Low Birth Weight(<2500g	35	63.6	5	9	6	8	5	2	0	0
2,501 - 3,000	2	3.6	0	1	0	0	0	1	0	0
3,001 - 3,500	1	1.8	0	0	1	0	0	0	0	0
3,501 - 4,000	1	1.8	0	0	0	0	1	0	0	0
4,001 - 4,500	1	1.8	0	1	0	0	0	0	0	0
4,500 - 5,000	0	0.0	0	0	0	0	0	0	0	0
5,001 AND OVER	1	1.8	0	0	0	0	1	0	0	0
UNKNOWN	14	25.5	1	3	5	2	3	0	0	0

TABLE 19A - SPONTANEOUS FETAL DEATHS OF 20 WEEK OR MORE UTEROGESTATION FOR RHODE ISLAND RESIDENTS BY WEIGHT OF FETUS AND AGE OF MOTHER Age of Mother Under 45 and 20 - 24 40 - 44 Percent 25 - 29 30 - 34 35 - 39 Total Fetal Weight in Grams Unknown over Total (all weight) 100.0 1,000 or Less 43.8 1,001 - 1,500 10.4 1,501 - 2,000 2.1 2,001 - 2,500 8.3 Total Low Birth Weight(<2500g 64.6 2,501 - 3,000 4.2 3,001 - 3,500 2.1 3,501 - 4,000 2.1 4,001 - 4,500 2.1 4,500 - 5,000 0.0 5,001 AND OVER 0.0 UNKNOWN 25.0

TABLE 20 - ALL FETAL DEATHS OCC BY CAUSE OF DEATH (ICD-10, 199		
	Number	Percent
All Causes	6801	100.0
Specific		
Congenital Abnormalies (Q00-Q99)	5	0.1
Certain conditions originating in the perinatal period (P00-P96)	6796	99.9
Maternal complications of pregnancy (P01)	1161	17.1
Complications of placenta, cord & membranes (P02)	14	0.2
Short gestation & low birth weight not elsewhere classified (P07)	12	0.2
Intrauterine hypoxia & birth asphyxia (P20)	1	0.0
Infections specific to the perinatal period (P35-P39)	9	0.1
Transitionary disorders of carbohydrate metabolism (P70)	1	0.0
Other conditions arising in the perinatal period (P80-P96)	5598	82.3
Other conditions of integument (skin) (P83)	3	0.0
Unspecified cause (P95)	111	1.6
Termination of pregnancy (P96.4)	5482	80.6
Other	2	0.0

		TABLE 2	21 - F	RHODE	ISLA	ND RE	SIDEN.	T DEA	THS F	ROM 1	13 SEL	ECTE	D CAU	SES					
						BY RA	CE, AG	E AND	SEX: 2	2003									
		All									Age in Y	ears							
		Ages	< 1	01-04	05-09	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
All Causes:	Totals	10,037	88	10	8	8	46	56	153	315	593	402	449	597	873	1,315	1,743	1,704	1,676
	White Males	4,372	44	4	4	3	31	42	88	194	335	215	234	292	477	642	736	635	395
	White Females	5,224	27	5	4	3	8	7	56	91	202	153	193	272	349	628	942	1,034	1,250
	Non-White Males	240	8	0	0	1	5	7	7	22	37	19	15	14	32	28	28	10	7
	Non-White Females	194	6	1	0	1	2	0	1	8	19	14	7	19	15	17	36	25	23
	Unknown Males	3	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	Unknown Females	3	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	1
	Unknown Sex	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Certain other	intestinal infections [A04,	A07-A09]																	
	Total	10	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	4	2
	White Males	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
	White Females	8	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	3	2
Tuberculosis	[A16-A19]																		
	Total	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0
	White Males	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0
	White Females	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Septicemia [A	40-A41]																		
	Total	127	0	0	0	0	0	0	1	1	2	6	5	11	10	15	23	22	31
	White Males	55	0	0	0	0	0	0	1	1	1	2	1	8	5	9	10	11	6
	White Females	69	0	0	0	0	0	0	0	0	1	4	4	3	4	6	11	11	25
	Non-White Males	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	Non-White Females	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0
Viral hepatitis	[B15-B19]																		
	Total	21	0	0	0	0	0	0	0	1	8	2	0	3	3	4	0	0	0
	White Males	10	0	0	0	0	0	0	0	0	5	2	0	1	1	1	0	0	0
	White Females	5	0	0	0	0	0	0	0	0	2	0	0	1	1	1	0	0	0
	Non-White Males	4	0	0	0	0	0	0	0	1	1	0	0	0	1	1	0	0	0
	Non-White Females	2	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
Human immur	nodeficiency virus (HIV) Di	sease [B20-E	324]																
	Total	31	0	0	0	0	0	0	2	14	13	0	1	0	0	1	0	0	0
	White Males	13	0	0	0	0	0	0	1	5	6	0	1	0	0	0	0	0	0
	White Females	5	0	0	0	0	0	0	1	2	1	0	0	0	0	1	0	0	0
	Non-White Males	12	0	0	0	0	0	0	0	7	5	0	0	0	0	0	0	0	0
	Non-White Females	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0

		TA	BLE 21	- RHO	DE ISLA	ND RE	SIDENT	DEATH	IS FRO	M 113 9	SELECT	TED CA	USES					
						BY RA	CE, AGE	E AND S	EX: 200	3								
	All									lge in Ye	ars							
	Ages	< 1	01-04	05-09	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Other & unspecified infectious a	and parasi	tic di	seases &	their sec	quelae [A	00, A05,	A20-A36,	A42-A44,	A48-A49	, A54-A7	9, A 81- A 8	2, A85.0-	A85.8, A8	86-B04,				
B06-B09, B25-B49, B55-B99]																		
Total	30	0	1	0	0	0	0	2	0	8	3	0	1	6	0	3	3	3
White Males	15	0	0	0	0	0	0	1	0	6	2	0	1	2	0	1	2	0
White Females	14	0	1	0	0	0	0	1	0	1	1	0	0	4	0	2	1	3
Non-White Males	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Malignant neoplasms (Cancer) [
Total	2,328	1	1	5	1	3	0	13	59	195	152	184	234	307	378	394	249	152
White Males	1,096	1	1	3	1	3	0	7	29	88	68	89	103	172	176	189	109	57
White Females	1,145	0	0	2	0	0	0	6	28	90	74	87	125	125	186	195	136	91
Non-White Males	52	0	0	0	0	0	0	0	1	10	5	7	1	10	9	5	2	2
Non-White Females	35	0	0	0	0	0	0	0	1	7	5	1	5	0	7	5	2	2
Malignant neoplasms (Can	cer) of lip	, oral	cavity &	pharynx	[C00-C14	!]												
Total	19	0	0	0	0	0	0	0	0	1	1	2	2	4	4	3	1	1
White Males	12	0	0	0	0	0	0	0	0	1	1	1	2	2	2	2	1	0
White Females	7	0	0	0	0	0	0	0	0	0	0	1	0	2	2	1	0	1
Malignant neoplasms (Can	cer) of es	opha	gus [C15]	1														
Total	56	0	0	0	0	0	0	0	1	7	6	7	9	9	8	3	2	4
White Males	37	0	0	0	0	0	0	0	0	6	5	5	5	8	6	0	0	2
White Females	15	0	0	0	0	0	0	0	1	0	1	1	4	0	1	3	2	2
Non-White Males	4	0	0	0	0	0	0	0	0	1	0	1	0	1	1	0	0	0
Malignant neoplasms (Can	cer) of sto	omac	h [C16]															
Total	57	0	0	0	0	0	0	0	0	2	2	2	3	7	9	19	7	6
White Males	34	0	0	0	0	0	0	0	0	2	1	2	2	5	5	9	5	3
White Females	21	0	0	0	0	0	0	0	0	0	1	0	1	1	4	9	2	3
Non-White Males	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Non-White Females	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Malignant neoplasms (Can	cer) of co	lon, r	ectum &	anus [C1	8-C21]													
Total	238	0	0	0	0	0	0	0	2	13	17	8	25	33	31	52	37	20
White Males	107	0	0	0	0	0	0	0	1	8	8	4	10	17	14	23	13	9
White Females	123	0	0	0	0	0	0	0	1	5	8	3	15	16	15	26	24	10
Non-White Males	5	0	0	0	0	0	0	0	0	0	1	1	0	0	1	2	0	0
Non-White Females	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1
Malignant neoplasms (Can	cer) of live	er & i	ntrahepa	tic bile d	ucts [C22	<u> </u>												
Total	73	0	0	0	0	1	0	0	2	12	4	7	5	6	11	16	8	1
White Males	37	0	0	0	0	1	0	0	1	6	2	5	2	2	6	9	3	0
White Females	31	0	0	0	0	0	0	0	1	4	1	1	3	3	5	7	5	1
Non-White Males	5	0	0	0	0	0	0	0	0	2	1	1	0	1	0	0	0	0

		TA	BLE 21	- RHOI	DE ISLA	AND RE	SIDENT	DEATI	HS FRC	M 113	SELEC	ΓED CA	USES					
						BY RA	CE, AG	E AND S	EX: 200)3								
	All								P	Age in Yea	ars							
	Ages	< 1	01-04	05-09	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-
Malignant neoplasms (Cancer) of pa	ancre	as [C25]															
Total	137	0	0	0	0	0	0	0	3	11	6	6	13	20	25	25	17	1
White Males	47	0	0	0	0	0	0	0	1	6	1	2	5	12	8	6	5	
White Females	81	0	0	0	0	0	0	0	2	3	3	2	7	8	16	18	12	1
Non-White Males	5	0	0	0	0	0	0	0	0	2	1	1	0	0	1	0	0	
Non-White Females	4	0	0	0	0	0	0	0	0	0	1	1	1	0	0	1	0	
Malignant neoplasms (Ca	ncer) of laryr	nx	[C32]															
Total	7	0	0	0	0	0	0	0	0	0	0	3	1	1	2	0	0	
White Males	5	0	0	0	0	0	0	0	0	0	0	1	1	1	2	0	0	
White Females	2	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	
Malignant neoplasms (Cancer) of tra	ache	a, bronch	us & lung	[C33-C3	4]												
Total	644	0	0	0	0	0	0	0	16	58	48	67	86	94	117	93	45	2
White Males	352	0	0	0	0	0	0	0	10	31	27	36	40	61	67	47	22	1
White Females	268	0	0	0	0	0	0	0	6	21	20	29	44	29	45	43	22	
Non-White Males	14	0	0	0	0	0	0	0	0	4	0	2	0	4	3	1	0	
Non-White Females	10	0	0	0	0	0	0	0	0	2	1	0	2	0	2	2	1	
Malignant neoplasms (C	ancer) of ski	n [C	43]															
Total	26	0	0	0	0	0	0	1	1	4	2	2	3	2	6	4	1	
White Males	13	0	0	0	0	0	0	0	1	2	2	2	0	2	2	2	0	
White Females	12	0	0	0	0	0	0	1	0	2	0	0	3	0	3	2	1	
Non-White Males	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
Malignant neoplasms (C	Cancer) of bre	east	[C50]															
Total	173	0	0	0	0	0	0	1	6	22	17	16	12	20	23	25	20	
White Males	3	0	0	0	0	0	0	0	0	1	0	2	0	0	0	0	0	
White Females	164	0	0	0	0	0	0	1	6	19	17	14	12	19	22	25	19	
Non-White Males	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
Non-White Females	5	0	0	0	0	0	0	0	0	2	0	0	0	0	1	0	1	
Malignant neoplasms (C	ancer) of cer	vix u	iteri [C53	1														
Total	12	0	0	0	0	0	0	1	0	5	1	0	1	2	0	1	1	
White Females	10	0	0	0	0	0	0	1	0	3	1	0	1	2	0	1	1	
Non-White Females	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	
Malignant neoplasms (C	Cancer) of co	rpus	uteri & u	terus, par	t unspec	ified [C54	1-C55]											
Total	22	0	0	0	0	0	0	0	0	1	1	1	4	3	3	1	2	
White Females	22	0	0	0	0	0	0	0	0	1	1	1	4	3	3	1	2	_
Malignant neoplasms (C	Cancer) of ov	ary [C56]															
Total	64	0	0	0	0	0	0	0	0	15	5	7	3	6	6	14	3	
White Females	64	0	0	0	0	0	0	0	0	15	5	7	3	6	6	14	3	

		TA	BLE 21	- RHOE	DE ISLA	ND RE	SIDENT	DEATI	IS FRO	M 113 9	SELECT	ΓED CA	USES					
						BY RA	CE, AG	E AND S	EX: 200	3								
	All								P	Age in Yea	ars							
	Ages	< 1	01-04	05-09	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Malignant neoplasms (Canc	er) of pro	ostate	e [C61]															
Total	116	0	0	0	0	0	0	0	1	2	0	1	11	21	21	25	18	16
White Males	109	0	0	0	0	0	0	0	1	2	0	1	11	19	20	24	16	15
Non-White Males	7	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1	2	1
Malignant neoplasms (Canc	er) of kid	iney a	& renal pe	elvis [C64	I-C65]													
Total	60	0	0	0	0	0	0	0	2	3	3	8	7	5	6	15	8	3
White Males	35	0	0	0	0	0	0	0	1	2	1	6	2	2	3	13	3	2
White Females	23	0	0	0	0	0	0	0	1	1	0	2	5	3	3	2	5	1
Non-White Females	2	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0
Malignant neoplasms (Cance	er) of bla	dder	[C67]															
Total	62	0	0	0	0	0	0	0	1	1	3	3	3	6	7	10	19	9
White Males	41	0	0	0	0	0	0	0	1	0	1	1	1	4	5	8	15	5
White Females	21	0	0	0	0	0	0	0	0	1	2	2	2	2	2	2	4	4
Malignant neoplasms (Cance	er) of me	ninge	es, brain &	& other pa	arts of ce	ntral ner	vous sys	tem [C70	-C72]									
Total	60	0	0	2	0	0	0	2	6	11	8	5	4	4	5	8	3	2
White Males	31	0	0	0	0	0	0	1	5	7	4	2	0	3	3	5	1	0
White Females	28	0	0	2	0	0	0	1	1	4	4	3	3	1	2	3	2	2
Non-White Females	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Malignant neoplasms (Canc	er) of lyn	npho	id, hemat	opoletic a	and relate	ed tissue	[C81-C96	6]										
Total	218	0	0	1	0	2	0	2	8	11	14	19	15	26	48	37	23	12
White Males	100	0	0	1	0	2	0	1	4	4	9	9	7	12	20	18	10	3
White Females	110	0	0	0	0	0	0	1	3	6	4	10	7	14	26	18	13	8
Non-White Males	4	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	0	1
Non-White Females	4	0	0	0	0	0	0	0	1	0	1	0	1	0	1	0	0	0
Hodgkin's disease [C81]																		
Total	7	0	0	0	0	0	0	1	2	1	0	0	1	0	1	1	0	0
White Males	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
White Females	5	0	0	0	0	0	0	1	0	1	0	0	1	0	1	1	0	0
Non-White Females	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Non-Hodgkin's lymphoma	[C82-C8	5]	·		·			·	·	·								
Total	93	0	0	1	0	0	0	1	2	5	8	6	6	8	22	18	10	6
White Males	44	0	0	1	0	0	0	1	0	1	6	3	2	5	9	11	3	2
White Females	48	0	0	0	0	0	0	0	2	3	2	3	4	3	13	7	7	4
Non-White Males	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0

		TA	BLE 21	- RHOE	DE ISLA	ND RE	SIDENT	DEATI	IS FRO	M 113 9	SELECT	ΓED CA	USES					
						BY RA	CE, AG	E AND S	EX: 200	3								
	All									ge in Yea	ars							
	Ages	< 1	01-04	05-09	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Multiple myeloma & immu	noprolifera	ative	neoplasm	s (Cance	r) [C88-C	90]	-											
Total	43	0	0	0	0	0	0	0	1	0	2	4	5	5	10	8	5	3
White Males	20	0	0	0	0	0	0	0	1	0	2	2	4	3	3	1	3	1
White Females	19	0	0	0	0	0	0	0	0	0	0	2	1	2	5	6	2	1
Non-White Males	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1
Non-White Females	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Leukemia [C91-C95]																		
Total	75	0	0	0	0	2	0	0	3	5	4	9	3	13	15	10	8	3
White Males	35	0	0	0	0	2	0	0	2	3	1	4	1	4	8	6	4	0
White Females	38	0	0	0	0	0	0	0	1	2	2	5	1	9	7	4	4	3
Non-White Females	2	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0
All other & unspecified mai		opla			7.C23-C2			1,C44-C4	9,C51-C52	2,C57-C6	0,C62-C6	3,C66.C6	3-C69.C7					
Total	284	1	1	2	1	0	0	6	10	16	14	20	27	38	46	43	34	25
White Males	133	1	1	2	1	0	0	5	3	10	6	10	15	22	13	23	15	6
White Females	143	0	0	0	0	0	0	1	6	5	6	9	11	16	31	20	19	19
Non-White Males	5	0	0	0	0	0	0	0	1	0	2	1	1	0	0	0	0	0
Non-White Females	3	0	0	0	0	0	0	0	0	1	0	0	0	0	2	0	0	0
Benign neoplasms & neoplasms	s of unce	rtain	or unkno	wn behav	ior ID00	-D481	-		-		-					-		
Total	71	2	0	0	1	1	0	1	0	6	3	5	2	6	6	16	16	6
White Males	38	1	0	0	1	0	0	0	0	4	3	4	2	3	2	9	7	2
White Females	29	0	0	0	0	0	0	1	0	1	0	1	0	2	4	7	9	4
Non-White Males	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Non-White Females	3	1	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0
Anemias [D50-D64]	-	•	•	-		•			•	•	•			•		•	-	
Total	19	1	0	0	0	0	0	0	0	1	0	2	0	0	1	2	7	5
White Males	10	0	0	0	0	0	0	0	0	0	0	2	0	0	1	0	5	2
White Females	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	2
Non-White Males	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Non-White Females	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Diabetes mellitus [E10-E14]		Ţ																•
Total	252	0	0	0	0	0	1	2	6	16	15	15	19	32	45	45	35	21
White Males	110	0	0	0	0	0	0	1	2	7	8	6	10	12	22	23	13	6
White Females	127	0	0	0	0	0	1	1	3	7	6	7	9	17	22	18	21	15
Non-White Males	10	0	0	0	0	0	0	0	1	1	1	2	0	3	1	0	1	0
Non-White Females	5	0	0	0	0	0	0	0	0	1	0	0	0	0	0	4	0	0
Nutritional deficiencies [E40-E6		J																<u> </u>
Total	-• j 8	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0	2	2
White Males	6	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0	1	1
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	
White Females	2	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	1	1

		TA	BLE 21	- RHOD	E ISLA	ND RE	SIDENT	DEATH	IS FRO	M 113 S	SELECT	ED CA	USES					
						BY RA	CE, AGE	E AND S	EX: 200	3								
	All								P	Age in Yea	ars							
	Ages	< 1	01-04	05-09	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Meningitis [G00, G03]																		
Total	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0
White Males	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
White Females	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Parkinson's disease [G20-G21]																		
Total	69	0	0	0	0	0	0	0	0	0	0	0	3	6	11	20	23	6
White Males	46	0	0	0	0	0	0	0	0	0	0	0	2	4	10	15	14	1
White Females	23	0	0	0	0	0	0	0	0	0	0	0	1	2	1	5	9	5
Alzheimer's disease [G30]																		
Total	303	0	0	0	0	0	0	0	0	0	1	1	4	12	25	60	97	103
White Males	75	0	0	0	0	0	0	0	0	0	0	0	1	3	8	22	26	15
White Females	220	0	0	0	0	0	0	0	0	0	1	1	3	9	16	37	68	85
Non-White Males	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Non-White Females	7	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	3	3
[I00-I78] Major cardiovascular dis																		
Total	3,773	2	1	0	1	2	5	6	56	139	119	126	182	278	481	725	755	895
White Males	1,541	0	1	0	0	0	2	0	36	88	81	76	95	162	243	291	271	195
White Females	2,078	0	0	0	1	1	1	5	14	41	25	41	72	95	223	405	467	687
Non-White Males	69	1	0	0	0	1	2	1	6	4	6	4	8	12	9	9	4	2
Non-White Females	81	0	0	0	0	0	0	0	0	6	6	5	7	9	6	19	13	10
Unknown Males	2	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Unknown Females	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
[100-109, 111, 113, 120-151] Dis		eart																
Total	3,009	1	1	0	1	1	5	4	48	120	102	106	153	221	388	569	570	719
White Males	1,278	0	1	0	0	0	2	0	34	82	73	67	82	137	197	229	217	157
White Females	1,615	0	0	0	1	0	1	3	10	30	20	34	58	70	179	318	341	550
Non-White Males	51	1	0	0	0	1	2	1	4	3	4	2	8	7	7	6	3	2
Non-White Females	62	0	0	0	0	0	0	0	0	5	4	3	5	7	5	15	9	9
Unknown Males	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Unknown Females	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
Acute rheumatic fever and	l chronic r																	
Total	7	0	0	0	0	0	0	0	0	0	0	1	0	1	2	1	0	2
White Males	2	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0
White Females	5	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	2
Hypertensive heart diseas										_								
Total	61	0	0	0	0	0	0	0	1	7	1	1	4	2	9	11	6	19
White Males	20	0	0	0	0	0	0	0	1	3	1	0	2	1	3	3	1	5
White Females	36	0	0	0	0	0	0	0	0	1	0	1	2	1	5	7	5	14
Non-White Males	2	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0
Non-White Females	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
Unknown Females	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0

		TA	BLE 21	- RHOD	E ISLA	ND RE	SIDENT	DEATH	IS FRO	M 113 S	SELECT	ΓED CA	USES					
						BY RA	CE, AGE	E AND S	EX: 200	3								
	All						,			ge in Yea	ars							
	Ages	< 1	01-04	05-09	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Hypertensive heart & ren	al disease	<u> </u>																
[113]																		
Total	10	0	0	0	0	0	0	0	0	0	0	0	1	1	1	2	3	2
White Males	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1
White Females	6	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	1
Non-White Females	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Ischemic heart disease																		
Total	2,550	0	0	0	0	1	1	2	34	90	84	89	117	192	330	490	504	616
White Males	1,109	0	0	0	0	0	1	0	25	68	62	57	65	121	174	205	198	133
White Females	1,352	0	0	0	0	0	0	2	5	17	14	28	42	62	146	269	296	471
Non-White Males	40	0	0	0	0	1	0	0	4	2	3	1	7	6	6	5	3	2
Non-White Females	47	0	0	0	0	0	0	0	0	3	4	3	3	3	4	11	7	9
Unknown Males	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Unknown Females	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Acute myocardial infarction	[121-122]																	
Total	940	0	0	0	0	0	0	0	11	34	40	43	57	84	139	200	173	159
White Males	438	0	0	0	0	0	0	0	8	26	31	28	34	52	70	84	68	37
White Females	473	0	0	0	0	0	0	0	1	6	8	12	18	29	65	110	103	121
Non-White Males	14	0	0	0	0	0	0	0	2	1	0	1	3	2	2	3	0	0
Non-White Females	15	0	0	0	0	0	0	0	0	1	1	2	2	1	2	3	2	1
Other acute ischemic heart	diseases [I24	<u>[</u>																
Total	6	0	0	0	0	0	0	0	0	0	0	0	0	1	0	3	2	0
White Males	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0
White Females	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0
Atherosclerotic cardiovascu	lar disease, s	o des	cribed [12	5.0]														
Total	552	0	0	0	0	0	0	0	7	25	23	21	20	36	71	94	99	156
White Males	224	0	0	0	0	0	0	0	4	20	14	12	10	20	32	36	38	38
White Females	300	0	0	0	0	0	0	0	2	4	4	8	9	14	36	53	58	112
Non-White Males	11	0	0	0	0	0	0	0	1	0	3	0	0	1	3	1	1	1
Non-White Females	16	0	0	0	0	0	0	0	0	1	2	1	1	1	0	4	2	4
Unknown Females	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
All other forms of chronic iso	chemic heart	disea	se [120, 12	5.1-125.9	1													
Total	1,052	0	0	0	0	1	1	2	16	31	21	25	40	71	120	193	230	301
White Males	445	0	0	0	0	0	1	0	13	22	17	17	21	48	72	84	92	58
White Females	575	0	0	0	0	0	0	2	2	7	2	8	15	19	45	104	133	238
Non-White Males	15	0	0	0	0	1	0	0	1	1	0	0	4	3	1	1	2	1
Non-White Females	16	0	0	0	0	0	0	0	0	1	1	0	0	1	2	4	3	4
Unknown Males	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0

		TA	BLE 21	- RHOE	DE ISLA	ND RE	SIDENT	DEATI	IS FRO	M 113	SELECT	TED CA	USES					
						BY RA	CE, AGI	E AND S	EX: 200	3								
	All								P	Age in Yea	ars							
	Ages	< 1	01-04	05-09	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Other heart diseases [I26-I	51]																	
Total	381	1	1	0	1	0	4	2	13	23	17	15	31	25	46	65	57	80
White Males	144	0	1	0	0	0	1	0	8	11	10	9	15	14	19	21	17	18
White Females	216	0	0	0	1	0	1	1	5	12	6	5	14	6	26	39	38	62
Non-White Males	9	1	0	0	0	0	2	1	0	0	1	1	1	1	0	1	0	0
Non-White Females	12	0	0	0	0	0	0	0	0	0	0	0	1	4	1	4	2	0
Acute and subacute endocarditi	s [133]																	
White Females	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
Total	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
Diseases of pericardium and ac	ute myoc	arditi	s [I30-I31,	<i>[40]</i>														
Total	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
White Males	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
Heart failure [I50]																		
Total	96	0	0	0	0	0	0	0	1	0	1	3	5	5	16	17	19	29
White Males	35	0	0	0	0	0	0	0	0	0	1	3	4	3	8	3	7	6
White Females	57	0	0	0	0	0	0	0	1	0	0	0	1	1	7	12	12	23
Non-White Males	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Non-White Females	3	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0
All other forms of heart disease	[126-128,	134-13	38, 142-149	9, 151]														
Total	280	1	1	0	1	0	4	2	12	23	16	12	25	20	28	48	37	50
White Males	106	0	1	0	0	0	1	0	8	11	9	6	10	11	10	18	10	11
White Females	157	0	0	0	1	0	1	1	4	12	6	5	13	5	18	27	25	39
Non-White Males	8	1	0	0	0	0	2	1	0	0	1	1	1	1	0	0	0	0
Non-White Females	9	0	0	0	0	0	0	0	0	0	0	0	1	3	0	3	2	0
Essential (primary) hypertens	sion & hy	pert	ensive re	nal disea	se [I10, I	12]												
Total	51	0	0	0	0	0	0	0	1	1	0	2	3	3	10	10	10	11
White Males	14	0	0	0	0	0	0	0	0	1	0	1	1	2	4	3	0	2
White Females	34	0	0	0	0	0	0	0	1	0	0	0	2	1	5	6	10	9
Non-White Males	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
Non-White Females	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Cerebrovascular diseases [le	60-169]																	
Total	564	1	0	0	0	1	0	2	7	15	12	13	21	39	70	120	139	124
White Males	194	0	0	0	0	0	0	0	2	4	5	3	9	16	35	48	46	26
White Females	339	0	0	0	0	1	0	2	3	9	3	7	10	18	33	66	90	97
Non-White Males	14	0	0	0	0	0	0	0	2	1	2	2	0	3	1	2	1	0
Non-White Females	16	0	0	0	0	0	0	0	0	1	2	1	2	2	1	4	2	1
Unknown Males	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Atherosclerosis [I70]																		
Total	57	0	0	0	0	0	0	0	0	0	3	1	2	3	2	9	15	22
White Males	17	0	0	0	0	0	0	0	0	0	1	1	1	1	1	4	4	4
White Females	39	0	0	0	0	0	0	0	0	0	2	0	1	1	1	5	11	18
Non-White Males	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0

		TA	BLE 21	- RHO	DE ISLA	ND RE	SIDENT	DEATI	IS FRO	M 113 S	SELECT	ΓED CA	USES					
						BY RA	CE, AG	E AND S	EX: 200	3								
	All									ge in Yea	ars							
	Ages	< 1	01-04	05-09	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Other diseases of circulatory	y system	[171	-178]															
Total	92	0	0	0	0	0	0	0	0	3	2	4	3	12	11	17	21	19
White Males	38	0	0	0	0	0	0	0	0	1	2	4	2	6	6	7	4	6
White Females	51	0	0	0	0	0	0	0	0	2	0	0	1	5	5	10	15	13
Non-White Males	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Non-White Females	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0
Aortic aneurysm & dissecti	on [I71]																	
Total	61	0	0	0	0	0	0	0	0	2	0	3	1	7	8	13	15	12
White Males	23	0	0	0	0	0	0	0	0	0	0	3	1	3	5	6	2	3
White Females	35	0	0	0	0	0	0	0	0	2	0	0	0	3	3	7	11	9
Non-White Males	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Non-White Females	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0
Other diseases of arteries,	arterioles	8 & ca	apillaries [[172-178]														
Total	31	0	0	0	0	0	0	0	0	1	2	1	2	5	3	4	6	7
White Males	15	0	0	0	0	0	0	0	0	1	2	1	1	3	1	1	2	3
White Females	16	0	0	0	0	0	0	0	0	0	0	0	1	2	2	3	4	4
Other disorders of circulatory sys	stem [180)-199]																
Total	21	0	0	0	0	0	1	1	2	4	0	2	3	0	0	5	1	2
White Males	6	0	0	0	0	0	1	0	1	1	0	1	0	0	0	2	0	0
White Females	12	0	0	0	0	0	0	0	1	3	0	1	2	0	0	3	0	2
Non-White Males	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Non-White Females	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0
Influenza and pneumonia [J10-J1	8]																	
Total	267	0	1	0	0	1	0	0	1	6	4	4	4	19	29	57	70	71
White Males	108	0	1	0	0	1	0	0	1	4	3	1	3	9	18	25	24	18
White Females	151	0	0	0	0	0	0	0	0	1	1	3	0	10	11	30	44	51
Non-White Males	6	0	0	0	0	0	0	0	0	1	0	0	1	0	0	2	1	1
Non-White Females	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Pneumonia [J12-J18]																		
Total	266	0	1	0	0	1	0	0	1	6	4	4	4	19	29	57	70	70
White Males	108	0	1	0	0	1	0	0	1	4	3	1	3	9	18	25	24	18
White Females	150	0	0	0	0	0	0	0	0	1	1	3	0	10	11	30	44	50
Non-White Males	6	0	0	0	0	0	0	0	0	1	0	0	1	0	0	2	1	1
Non-White Females	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Chronic lower respiratory disease	e[J40-J4	7]																
Total	495	0	0	1	0	0	1	2	1	16	17	26	32	51	104	99	98	47
White Males	220	0	0	0	0	0	1	1	0	6	8	9	14	28	48	41	47	17
White Females	263	0	0	1	0	0	0	0	1	8	9	17	17	22	53	54	51	30
Non-White Males	9	0	0	0	0	0	0	1	0	2	0	0	1	1	1	3	0	0
Non-White Females	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0

		TA	BLE 21	- RHOI	DE ISLA	ND RE	SIDENT	DEATI	IS FRO	M 113 S	SELECT	TED CA	USES					
						BY RA	CE, AG	E AND S	EX: 200	3								
	All									ge in Yea	ars							
	Ages	< 1	01-04	05-09	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Propobitio obranja 9 una	nacified []	10 11	201															
Bronchitis, chronic & unsp Total	pecinea _{[3} , 2	+ U-J4 0	∠j 0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
White Females	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
Emphysema [J43]	_												•					
Total	42	0	0	0	0	0	0	0	1	2	3	5	2	1	11	8	6	3
White Males	15	0	0	0	0	0	0	0	0	1	1	1	1	0	4	4	1	2
White Females	26	0	0	0	0	0	0	0	1	0	2	4	1	1	7	4	5	1
Non-White Males	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Other chronic lower respin	ratory dise	ases	[J44-J47]	<u> </u>														
Total	451	0	0	1	0	0	1	2	0	14	14	21	29	50	93	91	92	43
White Males	205	0	0	0	0	0	1	1	0	5	7	8	13	28	44	37	46	15
White Females	235	0	0	1	0	0	0	0	0	8	7	13	15	21	46	50	46	28
Non-White Males	8	0	0	0	0	0	0	1	0	1	0	0	1	1	1	3	0	0
Non-White Females	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0
Pneumoconioses & chemical e	ffects [J60	- J66,	J68]															
Total	5	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	2	0
White Males	4	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	2	0
White Females	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Pneumonitis due to solids and	liquids [J6	9]																
Total	76	0	0	0	0	0	0	0	0	0	0	4	1	10	4	13	14	30
White Males	35	0	0	0	0	0	0	0	0	0	0	3	0	6	2	8	7	9
White Females	39	0	0	0	0	0	0	0	0	0	0	1	1	4	2	5	7	19
Non-White Males	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Non-White Females	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Other diseases of respiratory s																		
Total	100	1	0	0	0	0	0	1	0	4	5	3	11	13	17	17	18	10
White Males	46	0	0	0	0	0	0	1	0	1	3	2	7	7	9	7	5	4
White Females	51	1	0	0	0	0	0	0	0	2	1	1	4	6	8	10	13	5
Non-White Males	3	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	1
Peptic Ulcer [K25-K28]	45	^		_		^	^				_		_	_			_	_
Total	15 6	0	0	0	0	0	0	0	0	0	1	0	2	2	1	3	3	3
White Males	6 8	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	1	1
White Females Non-White Males	8 1	0	0	0	0	0	0	0	0	0	0 1	0	0	0	0	3 0	2	2
	1	U	U	U	U	U	U	U	U	U	1	U	U	U	U	U	U	U
Hernia [K40-K46] Total	5	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	2	1
White Males	ე 1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
White Females	4	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2	1
vvilite i ciliales	7	U	U	U	U	U	U	U	U	U	U		U	U	U	U		

		TA	BLE 21	- RHO	DE ISLA	AND RE	SIDENT	DEATI	HS FRC	M 113	SELECT	ΓED CA	USES					
						BY RA	ACE, AG	E AND S	EX: 200)3								
	All									Age in Yea	ars							
	Ages	< 1	01-04	05-09	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Chronic liver disease and cirrho	sis [K70,	K73-	K74]															
Total	94	0	0	0	0	0	0	0	11	24	15	12	4	9	12	5	2	0
White Males	52	0	0	0	0	0	0	0	5	15	6	7	3	5	6	4	1	0
White Females	39	0	0	0	0	0	0	0	5	7	9	5	1	4	6	1	1	0
Non-White Males	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Non-White Females	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
Alcoholic liver disease [K7	<u>0]</u>																	
Total	46	0	0	0	0	0	0	0	8	16	5	9	1	2	3	2	0	0
White Males	32	0	0	0	0	0	0	0	4	13	2	6	1	2	2	2	0	0
White Females	13	0	0	0	0	0	0	0	3	3	3	3	0	0	1	0	0	0
Non-White Females	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
[Other chronic liver disease	e & cirrho	sis K	(73-K74]															
Total	48	0	0	0	0	0	0	0	3	8	10	3	3	7	9	3	2	0
White Males	20	0	0	0	0	0	0	0	1	2	4	1	2	3	4	2	1	0
White Females	26	0	0	0	0	0	0	0	2	4	6	2	1	4	5	1	1	0
Non-White Males	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Non-White Females	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Cholelithiasis and other disorde	rs of gall	blado	der [K80-K	(821														
Total	15	0	0	0	0	0	0	0	0	0	0	0	0	1	2	5	4	3
White Males	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	0
White Females	10	0	0	0	0	0	0	0	0	0	0	0	0	1	0	3	3	3
Non-White Males	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Nephritis, nephrotic syndrome &	k nephros	sis [N	100-N07. N	I17-N19. I	N25-N271													
Total	149	0	1	0	0	0	0	1	2	5	4	8	5	13	22	24	37	27
White Males	69	0	1	0	0	0	0	1	0	3	3	5	4	6	14	13	13	6
White Females	69	0	0	0	0	0	0	0	1	1	0	3	1	5	7	8	22	21
Non-White Males	7	0	0	0	0	0	0	0	0	1	1	0	0	0	1	3	1	0
Non-White Females	4	0	0	0	0	0	0	0	1	0	0	0	0	2	0	0	1	0
Chronic glomerulonephritis	s, nephriti	is & r		hy not su				c. & renal	sclerosis			-N03, N05	5-N07, N2				<u> </u>	
Total	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
White Males	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Renal failure [N17-N19]																		
Total	148	0	1	0	0	0	0	1	2	5	4	8	5	13	22	24	37	26
White Males	68	0	1	0	0	0	0	1	0	3	3	5	4	6	14	13	13	5
White Females	69	0	0	0	0	0	0	0	1	1	0	3	1	5	7	8	22	21
Non-White Males	7	0	0	0	0	0	0	0	0	1	1	0	0	0	1	3	1	-0
Non-White Females	4	0	0	0	0	0	0	0	1	0	0	0	0	2	0	0	1	0
Infections of kidney [N10-N12, N	112 6 NI45		<u> </u>	<u> </u>	0	0	0	0	<u>'</u>	0	<u> </u>	<u> </u>	0			0	<u>'</u>	0
Total	113.6, N 15 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
White Females	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
Wille I Giliales		U	U	U	U	U	U	U	U	U	U	U	U	U	U	- 1	U	- 1


		TA	BLE 21	- RHO	DE ISLA	ND RE	SIDENT	DEAT	HS FRC	M 113 9	SELECT	ΓED CA	USES					
						BY RA	CE, AG	E AND S	EX: 200)3								
	All					J 1 117	. , Adi	- AND C		Age in Yea	ars							
	Ages	< 1	01-04	05-09	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Hyperplasia of prostate [N40]																		
Total	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
White Males	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
All other disease (residual) [D65-	E07, E15	-E34	, E65-F99	G04-G12	2, G23-G2	25, G31-H	93, K00-H	(22, K29,	K31, K50	-K66, K7	1-K72, K7	'5-K76,						
K83-M99, N13.0-N13.5, N13.7-N13	3.9, N14,	N15.0), N15.8-N	115.9, N20)-N23, N2	8-N39, N	41-N64, N	80-N98]										
Total	958	3	0	2	1	6	1	19	24	51	34	27	50	76	113	166	177	208
White Males	351	0	0	1	1	4	1	9	16	34	17	13	23	37	49	55	52	39
White Females	565	3	0	1	0	2	0	7	5	15	15	13	22	33	62	103	120	164
Non-White Males	18	0	0	0	0	0	0	2	2	2	0	1	0	4	2	4	1	0
Non-White Females	23	0	0	0	0	0	0	0	1	0	2	0	5	2	0	4	4	5
Unknown Females	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Pregnancy, childbirth and the pu	erperium	1 [O0	0-O99]															
Total	3	0	0	0	0	0	0	2	0	1	0	0	0	0	0	0	0	0
White Females	3	0	0	0	0	0	0	2	0	1	0	0	0	0	0	0	0	0
Certain conditions arising in the	perinatal	l peri	od [P00-F	96]														
Total	58	57	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
White Males	30	30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
White Females	15	14	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Non-White Males	6	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Non-White Females	5	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Unknown Males	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Unknown Sex	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, defor	mations	& chi	romosom	al abnorn	nalities [Q00-Q99]											
Total	27	9	1	0	0	3	1	0	2	2	1	1	0	2	2	1	2	0
White Males	11	4	0	0	0	2	0	0	2	1	0	0	0	1	1	0	0	0
White Females	15	5	1	0	0	1	1	0	0	1	1	1	0	0	1	1	2	0
Non-White Females	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Symptoms, signs and abnormal	clinical a	nd la	boratory	findings,	not elsev	where cla	ssified [F	R00-R99]										
Total	62	6	0	0	0	1	1	0	5	8	2	2	0	2	3	8	8	15
White Males	29	4	0	0	0	1	0	0	3	5	0	2	0	1	2	2	2	6
White Females	27	2	0	0	0	0	1	0	0	1	1	0	0	1	0	6	6	9
Non-White Males	4	0	0	0	0	0	0	0	0	2	1	0	0	0	1	0	0	0
Non-White Females	2	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0
Unintentional injuries (Accidents	s) [V01-X	59, Y	85-Y86]															
Total	390	5	4	0	2	21	26	60	52	21	11	7	19	12	29	41	49	31
White Males	210	4	0	0	0	15	23	38	38	13	5	5	7	9	13	13	17	10
White Females	166	1	3	0	2	4	3	21	13	7	4	1	9	3	15	27	32	21
Non-White Males	9	0	0	0	0	1	0	1	1	1	1	0	2	0	1	1	0	0
Non-White Females	5	0	1	0	0	1	0	0	0	0	1	1	1	0	0	0	0	0

		TA	BLE 21	- RHO	DE ISLA	ND RE	SIDENT	DEATI	HS FRO	M 113	SELECT	ΓED CA	USES					
						BY RA	CE, AG	E AND S	EX: 200	3								
	All						·			ge in Yea	ars							
	Ages	< 1	01-04	05-09	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Transport accidents [V01-	·V99, Y85]																	
Total	109	0	2	0	2	17	20	23	14	5	3	3	7	1	3	4	4	1
White Males	69	0	0	0	0	12	18	17	11	2	2	2	3	0	0	0	2	0
White Females	36	0	2	0	2	4	2	5	3	3	1	0	3	1	3	4	2	1
Non-White Males	3	0	0	0	0	1	0	1	0	0	0	0	1	0	0	0	0	0
Non-White Females	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Motor[vehicle accident V88.0-V88.8,V89.0,V89	-	,V09.	0,V09.2,V	12-V14,V	19.0-V19.	2,V19.4-V	′19.6,V20·	·V79,V80.	3-V80.5,V	'81.0-V81	.1,V82.0-\	V82.1,V83	-V86,V87	7.0-V87.8]				
Total	101	0	2	2	2	17	19	18	13	5	2	3	7	1	3	4	4	1
White Males	63	0	0	0	0	12	17	14	10	2	1	2	3	0	0	0	2	0
White Females	34	0	2	2	2	4	2	3	3	3	1	0	3	1	3	4	2	1
Non-White Males	3	0	0	0	0	1	0	1	0	0	0	0	1	0	0	0	0	0
Non-White Females	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	C
Other land transport acc V88.9,V89.1,V89.3,V89	-	,V05-	V06,V09.1	,V09.3-V	09.9,V10-	V11,V15-	V18,V19.0	3,V19.8-V	19.9,V80.	0-V80.2,V	/80.6-V80	.9,V81.2-\	/81.9,V82	2.2-V82.9,	V87.9,			
Total	2	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	C
White Males	2	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	C
Water, air & space, other	er & unspec	ified t	ransport a	ccident &	their seq	uelae [V9	0-V99, Y8	35]										
Total	6	0	. 0	0	0	0	0	4	1	0	1	0	0	0	0	0	0	0
White Males	4	0	0	0	0	0	0	2	1	0	1	0	0	0	0	0	0	C
White Females	2	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	C
Nontransport accidents [N00-X59, Y	<i>[86]</i>																
Total	281	5	2	0	0	4	6	37	38	16	8	4	12	11	26	37	45	30
White Males	141	4	0	0	0	3	5	21	27	11	3	3	4	9	13	13	15	10
White Females	130	1	1	0	0	0	1	16	10	4	3	1	6	2	12	23	30	20
Non-White Males	6	0	0	0	0	0	0	0	1	1	1	0	1	0	1	1	0	C
Non-White Females	4	0	1	0	0	1	0	0	0	0	1	0	1	0	0	0	0	C
Falls [W00-W19]																		
Total	130	0	0	0	0	1	0	2	0	4	1	1	6	9	19	27	35	25
White Males	52	0	0	0	0	1	0	0	0	4	0	1	1	7	9	9	12	8
White Females	76	0	0	0	0	0	0	2	0	0	1	0	4	2	9	18	23	17
Non-White Males	2	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	C
Accidental drowing & sul	bmersion [\	W65-\	W74]															
Total	10	1	1	0	0	0	0	1	1	2	1	1	1	0	0	0	1	C
White Males	6	1	0	0	0	0	0	1	0	2	1	1	0	0	0	0	0	C
White Females	4	0	1	0	0	0	0	0	1	0	0	0	1	0	0	0	1	C
Accidental poisoning & e	•			· ·			_						_					
Total	13	0	0	0	0	0	0	3	6	3	1	0	0	0	0	0	0	C
White Males	8	0	0	0	0	0	0	2	5	1	0	0	0	0	0	0	0	C
White Females	4	0	0	0	0	0	0	1	1	2	0	0	0	0	0	0	0	0
Non-White Females	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0

		TA	BLE 21	- RHOE	E ISLA	ND RE	SIDENT	DEATH	IS FRO	M 113 S	SELECT	ΓED CA	USES					
						BY RA	CE, AGI	E AND S	EX: 200	3								
	All						·		P	Age in Yea	ars							
	Ages	< 1	01-04	05-09	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Other & unspecified non	transport ac	ciden	ts & their	sequelae	[W20-W3	1,W35-W	64,W75-V	V99,X10-X	(39,X50-X	(59,Y86]								
Total	64	4	1	0	0	2	1	5	4	6	5	1	4	1	7	9	9	5
White Males	36	3	0	0	0	1	1	4	4	4	2	1	2	1	4	4	3	2
White Females	22	1	0	0	0	0	0	1	0	1	2	0	1	0	3	4	6	3
Non-White Males	3	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	0
Non-White Females	3	0	1	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0
Intentional self-harm (Suicide)	[U03, X60-X	(84, Y	/87.0]															
Total	84	0	0	0	0	2	3	9	27	27	2	7	3	0	2	2	0	0
White Males	67	0	0	0	0	2	3	9	18	24	1	4	3	0	1	2	0	0
White Females	14	0	0	0	0	0	0	0	7	3	1	2	0	0	1	0	0	0
Non-White Males	2	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0
Non-White Females	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Intentional self-harm (suice	ide) by disc	harge	e of firear	rms [X72	-X74]													
Total	12	0	0	0	0	1	1	0	0	5	1	1	1	0	1	1	0	0
White Males	10	0	0	0	0	1	1	0	0	4	1	0	1	0	1	1	0	0
White Females	2	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0
Intentional self-harm (suic	ide) by oth	er & ı	unspecific	ed means	& their s	sequelae	[X75-X84	4, U03, X6	0-X71, Y	37.0]								
Total	72	0	0	0	0	1	2	9	27	22	1	6	2	0	1	1	0	0
White Males	57	0	0	0	0	1	2	9	18	20	0	4	2	0	0	1	0	0
White Females	12	0	0	0	0	0	0	0	7	2	1	1	0	0	1	0	0	0
Non-White Males	2	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0
Non-White Females	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Assault (Homicide) [X85-Y09, VU02]	Y89.1, U01-																	
- Total	29	1	0	0	1	4	10	5	1	2	1	1	0	0	1	1	0	0
White Males	15	0	0	0	0	1	7	3	0	2	1	1	0	0	0	0	0	0
White Females	3	1	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0
Non-White Males	11	0	0	0	1	3	3	1	1	1	0	0	0	0	1	0	0	0
Event of undetermined intent [Y10-Y34, Y8	37.2, `	Y89.9]															
Total	124	0	0	0	1	2	6	25	50	32	3	3	1	0	1	0	0	0
White Males	82	0	0	0	0	2	4	14	37	21	2	1	0	0	1	0	0	0
White Females	31	0	0	0	0	0	0	10	11	7	0	2	1	0	0	0	0	0
Non-White Males	7	0	0	0	0	0	2	1	1	2	1	0	0	0	0	0	0	0
Non-White Females	4	0	0	0	1	0	0	0	1	2	0	0	0	0	0	0	0	0
Complications of medical and	surgical car	re [Y4	10-Y84, Y8	38]														
- Total	9	0	0	0	0	0	0	1	0	0	1	1	1	0	1	1	2	1
White Males	5	0	0	0	0	0	0	1	0	0	0	1	1	0	1	0	1	0
White Females	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Non-White Males	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Non-White Females	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0

		TABLE	22 - RH	HODE IS	LAND R	ESIDENT	S DEATH	IS					
					OWN BY N	_	_						
City or Town	Total	Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec
RHODE ISLAND	10,037	973	865	847	810	798	756	813	787	775	833	790	990
Barrington	141	12	23	10	12	14	10	15	8	8	9	7	13
Bristol	245	35	13	21	18	22	30	25	15	14	14	9	29
Burrillville	148	17	9	12	12	11	14	15	13	12	15	7	11
Central Falls	155	16	19	15	12	11	15	9	16	11	8	10	13
Charlestown	60	3	9	1	5	4	5	5	5	7	8	3	5
Coventry	326	31	42	35	19	25	15	30	21	27	31	19	31
Cranston	814	63	73	72	84	73	66	61	70	64	57	59	72
Cumberland	272	23	20	23	21	21	21	23	22	25	20	23	30
East Greenwich	113	8	12	12	11	8	6	12	11	2	5	9	17
East Providence	584	60	44	45	44	55	54	42	41	41	54	55	49
Exeter	23	1	4	1	3	0	5	2	1	1	2	2	1
Foster	28	1	5	4	2	4	2	3	0	2	2	1	2
Glocester	87	9	4	10	3	4	9	6	8	10	10	8	6
Hopkinton	62	2	2	5	2	3	7	12	5	9	7	1	7
Jamestown	45	5	3	1	2	2	4	3	5	3	3	3	11
Johnston	365	41	35	29	23	28	21	36	29	28	32	21	42
Lincoln	196	21	15	12	15	11	23	15	13	12	16	11	32
Little Compton	29	2	2	2	3	1	0	3	1	3	6	2	4
Middletown	176	20	18	14	14	19	14	10	11	11	11	18	16
Narragansett	108	11	6	7	10	7	5	13	6	10	11	13	9
New Shoreham	2	0	0	0	1	0	0	0	0	1	0	0	0
Newport	232	21	31	21	24	19	12	16	13	14	24	14	23
North Kingstown	213	19	21	11	15	20	16	18	21	21	13	20	18
North Providence	369	35	29	40	39	32	34	30	22	17	29	38	24
North Smithfield	119	11	7	6	4	7	9	12	13	10	9	13	18
Pawtucket	666	71	47	59	54	48	38	58	47	58	66	52	68
Portsmouth	146	20	8	13	12	12	14	9	15	10	11	7	15
Providence	1,373	149	111	116	115	101	108	102	103	109	120	97	142
Richmond	22	2	1	1	2	2	0	2	3	3	2	1	3
Scituate	80	3	5	7	8	4	4	7	9	10	5	6	12
Smithfield	280	18	22	18	17	20	26	24	23	35	22	29	26
South Kingstown	210	15	18	15	12	16	15	16	26	12	18	20	27
Tiverton	174	16	19	12	18	12	15	14	11	13	12	20	12
Warren	138	12	12	13	9	14	13	13	18	7	9	9	9
Warwick	1,033	109	80	100	98	69	67	84	88	75	85	74	104
West Greenwich	48	5	5	5	2	1	4	6	3	11	1	3	2
West Warwick	228	25	32	18	8	30	15	14	21	12	18	19	16
Westerly	257	21	16	16	20	24	12	21	17	28	21	35	26
Woonsocket	470	40	43	45	37	44	28	27	33	29	47	52	45

Figure 22



	All	Neonatal	Under	1-6	7-27	28 Days
Cause of Death (ICD-10 Codes)	Infants*	(-28 Days)	1 Day	Days	Days	Under 1 Yr.
Neoplasms (Cancers) [C00-D48]	3	0	0	0	0	;
In situ neoplasms, benign neoplasms & neoplasms of uncertain/unknown behavior [D00-D48]	2	0	0	0	0	:
Other and unspecified malignant neoplasms [C00-C80, C88-C90, C96-C97]	1	0	0	0	0	
Diseases of the blood and blood-forming organs and certain disorders	1	1	1	0	0	
involving the immune mechanism [D50-D89]						
Anemias [D50-D64]	1	1	1	0	0	(
Diseases of the circulatory system [I00-I99]	2	0	0	0	0	
All other diseases of circulatory system [100-125, 131, 134-138, 144-145, 147-151, 170-199]	1	0	0	0	0	
Cerebrovascular diseases [160-169]	1	0	0	0	0	
Diseases of the respiratory system [J00-J98]	1	0	0	0	0	,
Other & unspecified diseases of respiratory system [J22, J30-J39, J43-J44, J47-J68, J70-J98]	1	0	0	0	0	
Certain conditions originating in the perinatal period [P00-P96]	57	55	47	2	6	:
All other infections specific to the perinatal period [P35, P37, P39]	1	1	1	0	0	
All other respiratory conditions originating in the perinatal period [P28.2-P28.9]	1	1	0	0	1	(
Bacterial sepsis of newborn [P36]	3	3	1	0	2	(
Birth asphyxia [P21]	1	1	0	0	1	(
Respiratory distress of newborn [P22]	3	3	1	2	0	(
Chronic respiratory disease originating in the perinatal period [P27]	2	0	0	0	0	:
Disorders related to short gestation and low birth weight, not elsewhere classified [P07]	32	32	32	0	0	(
Extremely low birth weight or extreme immaturity [P07.0, P07.2]						
Other low birth weight or preterm [P07.1, P07.3]						
Hematological disorders [P60-P61]	1	1	0	0	1	(
Necrotizing enterocolitis of newborn [P77]	1	1	0	0	1	(
Newborn affected by complications of placenta, cord, and membranes [P02]	5	5	5	0	0	(
Newborn affected by chorioamnionitis [P02.7]						
Newborn affected by complications involving placents [P02.0-P02.3]						
Newborn affected by maternal complications of pregnancy [P01]	5	5	5	0	0	(
Newborn affected by incompetent cervix [P01.0]						1
Newborn affected by other maternal complications of pregnancy [P01.2-P01.4, P01.6-P01.9]						
Newborn affected by premature rupture of membranes [P01.1]						
Newborn affected by other complications of labor and delivery [P03]	1	1	1	0	0	(
Other perinatal conditions [P29, P70.3-P76, P78-P81, P83.0-P83.1, P83.3-P96]	1	1	1	0	0	

TABLE 23 (Cont.) - RHODE ISLAND RESIDENTS INFANT DEATHS FO	OR 130 SELECT	ED CAUSE	S** BY	AGE: 2	003	_
Cause of Death (ICD-10 Codes)	All Infants*	Neonatal (-28 Days)	Under 1 Day	1-6 Days	7-27 Days	28 Days- Under 1 yr.
Congenital malformations, deformations and chromosomal abnormalities [Q00-Q99]	9	7	4	2	1	2
Anencephaly and similar malformations [Q00]	1	1	1	0	0	C
Congenital malformations of genitourinary system [Q50-Q64]	1	1	0	1	0	c
Congenital malformations of heart [Q20-Q24]	2	1	0	0	1	-
Congenital malformations of respiratory system [Q30-Q34]	1	1	1	0	0	(
Other chromosomal abnormalities, not elsewhere classified [Q92-Q99]	1	1	1	0	0	(
Other congenital malformations and deformations [Q10-Q18, Q86-Q89]	2	1	1	0	0	
Spina bifida [Q05]	1	1	0	1	0	(
Symptoms, signs and abnormal clinical and laboratory findings,	6	1	0	0	1	!
not elsewhere classified [R00-R99]						
Other symptoms, signs and abnormal clinical and laboratory findings,	2	0	0	0	0	
not elsewhere classified [R00-R53, R55-R94, R96-R99]						
Sudden infant death syndrome [R95]	4	1	0	0	1	;
External causes of mortality [V01-Y89]	6	1	1	0	0	
Accidents (unintentional injuries) [V01-X59]	5	0	0	0	0	
Assault (homicide) [X85-Y09]	1	1	1	0	0	(
Others	3	1	0	0	1	:
Gastritis, duodenitis, and noninfective enteritis and colitis [K29, K50-K55]	1	0	0	0	0	
Infantile spinal muscular atrophy, type I (Werdnig-Hoffman)[G12.0]	1	1	0	0	1	
Other diseases of nervous system [G06, G06, G11, G12.1-G12.9, G20-G72, G81-G92,	1	0	0	0	0	
G93.0, G93.2-G93.9, G95-G98]						

^{*} Total(s) may include infants of unknown age

^{**}The causes of death in this table are taken from the ICD-10 Cause-of-Death list of 130 Selected Causes of Infant Death for Tabulating Mortality Statistics for Health Statistics. If no deaths occurred in a specific classification, the category will not appear in this table.

		Tabl	le 24	- RH	ODE IS	LAND	RESID	ENTS A	ACCIDE	NTAL	DEATH	IS BY S	SEX AN	ID AGE	***			
	,	WITH NO	N-TF	RANSI	PORT A	CCIDEN	NTS SH	OWN B	Y NEW I	ENGLAI	ND STA	NDARD	LOCAT	TIONS**	: 2003			
									Age i	n Years								
	All	Under																
	Ages	One	1-4		10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
TOTAL ACCID	ENTS [VO)1-X59, Y8	35-Y8	6]*														
Total	390	5	4	0	2	21	26	60	52	21	11	7	19	12	29	41	49	31
Male	219	4	0	0	0	16	23	39	39	14	6	5	9	9	14	14	17	10
Female	171	1	4	0	2	5	3	21	13	7	5	2	10	3	15	27	32	21
Transport acc Y85]*	cidents [\	/01-V99,																
Total	109	0	2	0	2	17	20	23	14	5	3	3	7	1	3	4	4	1
Male	72	0	0	0	0	13	18	18	11	2	2	2	4	0	0	0	2	0
Female	37	0	2	0	2	4	2	5	3	3	1	1	3	1	3	4	2	1
Nontransport	accident	s [W00-X	(59, Y	/86]*														
Total	281	5	2	0	0	4	6	37	38	16	8	4	12	11	26	37	45	30
Male	2	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	C
Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	C
LOCATIONS	S** (There	were no far	m-loca	nted acci	idental acc	idents in 2	003)											
Home																		
Total	111	5	2	0	0	0	0	6	6	8	5	2	7	6	15	15	23	11
Male	49	4	0	0	0	0	0	1	4	5	3	1	3	5	7	5	8	3
Female	62	1	2	0	0	0	0	5	2	3	2	1	4	1	8	10	15	8
Resident i	nstitution	, military	reser	vation	1													
Total	47	0	0	0	0	1	0	0	0	0	0	0	0	2	4	15	10	15
Male	20	0	0	0	0	1	0	0	0	0	0	0	0	2	3	6	2	6
Female	27	0	0	0	0	0	0	0	0	0	0	0	0	0	1	9	8	(
Hospital, s	school, ot	her institu	utiona	al recr	eation a	rea												
Total	9	0	0	0	0	0	0	0	2	0	1	0	1	1	0	1	3	(
Male	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	(
Female	7	0	0	0	0	0	0	0	2	0	0	0	1	1	0	1	2	(
Street or h	nighway																	
Total	5	0	0	0	0	1	0	1	0	1	0	0	1	1	0	0	0	(
Male	4	0	0	0	0	0	0	1	0	1	0	0	1	1	0	0	0	(
Female	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	(

	W	ITH NON	I-TRAN	ISPOR	T ACCI	DENTS	SHOW	/N BY I	IEM EI	<u>IGLAN</u>	D STAN	<u>IDARD</u>	LOCA.	TIONS*	*: 2003	3		
									Age in	Years								
	All	Under																
	Ages	One	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	9
Garage/warel	nouse, tr	ade/servic	e area															
Total	61	0	0	0	0	1	5	25	26	0	0	0	1	1	1	1	0	
Male	42	0	0	0	0	1	4	15	20	0	0	0	0	1	1	0	0	
Female	19	0	0	0	0	0	1	10	6	0	0	0	1	0	0	1	0	
Industrial/con	struction	area, min	e or qua	arry														
Total	4	0	0	0	0	0	0	2	1	1	0	0	0	0	0	0	0	
Male	4	0	0	0	0	0	0	2	1	1	0	0	0	0	0	0	0	
Public recrea	tion area	othor bui	ilding/otk	or cno	oified pla	100												
Total	1011 a16a	, otner bui	nang/ou 0	0	onieu pia 0	0	0	2	0	4	0	1	1	0	0	0	2	
Male	8	0	0	0	0	0	0	1	0	4	0	1	1	0	0	0	1	
Female	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	
remale		U	0	0	0	0	0	<u>į</u>	0	0	0	- 0	0	0	0	0	Į.	
Unspecified p	lace																	
Total	31	0	0	0	0	1	1	1	2	2	2	1	1	0	4	5	7	
Male	16	0	0	0	0	1	1	1	2	1	0	1	0	0	2	3	3	
Female	15	0	0	0	0	0	0	0	0	1	2	0	1	0	2	2	4	

^{*}ICD codes assiagned to accidental deaths

^{**}New England Standard Location Categories

^{***}Totals may include deaths of unknown age


TABLE 25 - RHODE ISLAND RESIDENT	ACCIDE	NTAL [EATHS	BY A	GE ANI	D TYPE	: 2003			
	Age in Years									
Type of Unintentional Accident (injury) and ICD-10 Codes	All Ages*	<1	1-4	5-14	15-19	20-24	25-44	45-64	65-84	85+
Transport accidents [V01-V99, Y85]	109	0	2	2	17	20	37	11	15	5
Motor vehicle accidents [V02-V04, V09.0, V09.2, V12-V14, V83-V86,										
V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1,										
V82.0-V82.1, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2]	101	0	2	2	17	19	31	10	15	5
Pedestrian involved in collision w/motor vehicle [V02-V04]	13	0	0	2	1	0	4	2	3	1
Motorcycles invovled in any accident, except collision										
with railway train [V20-V24, V26-V34, V36-V39]	13	0	0	0	2	3	8	0	0	0
Occupant of motor vehicle involved in collision										
with other (non-motorized) road vehicle, streetcar, animal										
or pedestrian [V40-V41, V46-V47, V50-V51,										
V56-V57, V60-V61, V66-V67,V70-V71, V76-V77]	38	0	1	0	11	9	10	3	4	0
Occupant of car, pickup truck or van involved in collision										
with other motor vehicle [V42-V44, V49, V52-V54, V59]	26	0	1	0	2	5	5	3	6	4
Occupant of motor vehicle involved in noncollision										
accident [V48, V58, V68, V78]	2	0	0	0	0	1	0	1	0	0
Occupant of special-use motor vehicle invovled										
in any accident [V83-V86]	1	0	0	0	0	0	0	1	0	0
Other & unspecified motor vehicle accidents [V09.0,										
V09.2, V80.3-V80.5, V82.0-V82.1, V87.0-V87.5, V87.7-V87.8,										
V88.0-V88.5,V88.7-V88.8, V89.0, V89.2]	8	0	0	0	1	1	4	0	2	0
Other & unspecified land transport accidents [V1, V6, V09.1, V09.9,										
V10-V11, V16-V18, V19.3, V19.8-V19.9, V80.0-V80.2,										
V80.7-V80.9, V87.9, V88.9, V89.1, V89.3, V89.9]	2	0	0	0	0	1	1	0	0	0
Air and space transport accidents [V95-V97]	1	0	0	0	0	0	0	1	0	0
Other & unspecified transport accidents & sequelae [V98-V99, Y85]	2	0	0	0	0	0	2	0	0	0
Water transport accidents [V90-V94]	3	0	0	0	0	0	3	0	0	0

	Age in Years									
Type of Unintentional Accident (injury) and ICD-10 Codes	AII Ages*	<1	1-4	5-14	15-19	20-24	25-44	45-64	65-84	85+
NonTransport accidents [W00-X59, Y86]	141	0	0	0	1	0	9	10	61	60
Falls [W00-W19]	130	0	0	0	1	0	2	6	61	6
Fall on same level [W00-W09, W18]	69	0	0	0	0	0	0	2	29	3
Fall from one level to another [W10-W17]	32	0	0	0	1	0	1	3	16	1
Unspecified fall [W19]	29	0	0	0	0	0	1	1	16	1
Accidental drowning & submersion [W65-W74]	10	1	1	0	0	0	2	4	1	
Accidental inhalation & ingestion of food or										
other objects causing obstruction of respiratory tract [W78-W80]	14	0	0	0	0	0	0	2	4	
Other accidental & unspecified threats to breathing										
[W75-W77, W81-W84]	12	4	1	0	0	0	3	2	2	
Accidental exposure to smoke, fire & flames [X00-X09, W20-W31]										
[W35-W38, W41-W64, W92-W99, X20-X32, X39, X50-X59, Y86]	64	0	0	0	1	5	53	2	3	
Accidental poisoning by & exposure to noxious substances										
[X40-X49]	13	0	0	0	0	0	9	4	0	
Accidental poisoning by & exposure to drugs										
& other biological substances [X40-X44]	11	0	0	0	0	0	7	4	0	
Accidental poisoning by & exposure to other gases & vapor [X47]	2	0	0	0	0	0	2	0	0	
All other & unspecified nontransport accidents & their sequelae										
[W20-W31, W35-W38,W41-W64,W92-W99,X20-X32, X50-X59, Y86]	36	0	0	0	1	0	6	8	15	
Accidental exposure to electric current [W85-W87]	2	0	0	0	1	1	0	0	0	

TABLE 26 - TEN LEADING CAUSES OF DEATH IN RI RESIDENTS BY SEX: 2003 WITH RATES PER 100,000 EXCEPT TOTAL WITH RATE PER 1,000

Rank	Cause of Death	Number*	Rate
Doth C	exes TOTAL	10036	9.4
	Diseases of heart [100-109, 111, 113, 120-151]	3009	281.5
1			
2	Malignant (Cancers) Neoplasms [C00-C97]	2328	217.8
	Cerebrovascular diseases [I60-I69]	564	52.8
4	Chronic lower respiratory diseases [J40-J47]	495	46.3
5	Unintentional injuries (Accidents) [V01-X59, Y85-Y86]	390	36.5
6	Influenza and pneumonia [J10-J18]	267	25.0
7	Alzheimer's disease [G30]	303	28.3
8	Diabetes Mellitus [E10-E14]	252	23.6
9	Nephritis, nephrotic syndrome & nephrosis [N00-N07, N17-N19, N25-N27]	149	13.9
10	Septicemia [A40-A41]	127	11.9
	All Others	2152	201.3
Male:	TOTAL	4615	4734
1	Diseases of heart [I00-I09, I11, I13, I20-I51]	1330	259.0
2	Malignant Neoplasms (Cancers) [C00-C97]	1148	223.6
3	Chronic lower respiratory diseases [J40-J47]	229	44.6
4	Cerebrovascular diseases [160-169]	209	40.7
5	Unintentional injuries (Accidents) [V01-X59, Y85-Y86]	219	42.6
6	Influenza and pneumonia [J10-J18]	114	22.2
7	Diabetes Mellitus [E10-E14]	120	23.4
8	Nephritis, nephrotic syndrome & nephrosis [N00-N07, N17-N19, N25-N27]	76	14.8
9	Chronic liver disease and cirrhosis [K70, K73-K74]	53	10.3
10	Intentional self-harm (suicide) [X60-X84, U03, Y87.0]	69	13.4
10	All Others	1048	204.1
Femal	e: TOTAL	5421	9.8
1	Diseases of heart [I00-I09, I11, I13, I20-I51]	1679	302.3
2	Malignant Neoplasms (Cancers) [C00-C97]	1180	212.5
3	Cerebrovascular diseases [I60-I69]	355	63.9
4	Chronic lower respiratory diseases [J40-J47]	266	47.9
5	Alzheimer's disease [G30]	227	40.9
6	Influenza and pneumonia [J10-J18]	153	27.5
7	Unintentional injuries (Accidents) [V01-X59, Y85-Y86]	171	30.8
8	Diabetes Mellitus [E10-E14]	132	23.8
9	Septicemia [A40-A41]	71	12.8
10	Nephritis, nephrotic syndrome & nephrosis [N00-N07, N17-N19, N25-N27]	73	13.1
	All Others	1114	200.6

Figure 23



	WITH RATES PER 100,000 POPULATION						
Age		20	03	3 2002			
Group Rank	Cause of Death [ICD-10, 1992]	Number*	Rate	Number*	Rate	Change	
Under 5 Years	TOTAL	98	149.5	96	147.4	0.01	
1	Certain conditions originating in the perinatal period [P00-P96	56	85.4	48	73.7	0.16	
2	Congenital malformations, deformations and chromosomal abnormalities [Q00-Q99]	10	15.3	19	29.2	-0.48	
3	Unintentional injuries (Accidents) [V01-X59, Y85-Y86]	9	13.7	5	7.7	0.79	
4	Diseases of heart [100-109, 111, 113, 120-151]	2	3.1	6	9.2	-0.6	
5	Malignant Neoplasms (Cancers) [C00-C97]	2	3.1	1	1.5	0.99	
	Other Causes	19	29.0	17	26.1	0.1	
5-19 Years:	TOTAL	62	27.6	57	25.6	0.08	
1	Unintentional injuries (Accidents) [V01-X59, Y85-Y86]	23	10.2	19	8.5	0.20	
2	Malignant Neoplasms (Cancers) [C00-C97]	9	4.0	6	2.7	0.49	
3	Assault (homicide) [X85-Y09, Y89.1, U01-U02]	5	2.2	9	4.0	-0.45	
4	Congenital malformations, deformations and chromosomal abnormalities [Q00-Q99]	3	1.3	3	1.3	-0.0	
5	Intentional self-harm (suicide) [X60-X84, U03, Y87.0]	2	0.9	5	2.2	-0.60	
_	Other Causes	20	8.9	15	6.7	0.32	
20-44 Years:	TOTAL	524	133.5	463	118.7	0.12	
1	Unintentional injuries (Accidents) [V01-X59, Y85-Y86]	138	35.2	62	15.9	1.2	
2	Malignant Neoplasms (Cancers) [C00-C97]	72	18.3	73	18.7	-0.02	
3	Diseases of heart [100-109, 111, 113, 120-151]	57	14.5	54	13.8	0.05	
4	Intentional self-harm (suicide) [X60-X84, U03, Y87.0]	39	9.9	42	10.8	-0.08	
5	Assault (homicide) [X85-Y09, Y89.1, U01-U02]	16	4.1	27	6.9	-0.4 ⁻	
	Other Causes	202	51.5	205	52.6	-0.02	
45-64 Years:	TOTAL	1444	609.6	1474	626.2	-0.03	
1	Malignant Neoplasms (Cancers) [C00-C97]	531	224.2	534	226.9	-0.01	
2	Diseases of heart [100-109, 111, 113, 120-151]	328	138.5	362	153.8	-0.10	
3	Chronic lower respiratory diseases [J40-J47]	59	24.9	46	19.5	0.27	
4	Chronic liver disease and cirrhosis [K70, K73-K74]	51	21.5	56	23.8	-0.10	
5	Diabetes Mellitus [E10-E14]	46	19.4	54	22.9	-0.15	
	Other Causes	429	181.1	422	179.3	0.0	
65 Years and C		7908	5,056.7	8151	5,245.4	-0.04	
1	Diseases of heart [I00-I09, I11, I13, I20-I51]	2620	1675.3	2686	1728.5	-0.03	
2	Malignant Neoplasms (Cancers) [C00-C97]	1714	1096.0	1785	1148.7	-0.0	
3	Cerebrovascular diseases [160-169]	513	328.0	552	355.2	-0.08	
4	Chronic lower respiratory diseases [J40-J47]	431	275.6	469	301.8	-0.0	
5	Alzheimer's disease [G30]	301	192.5	264	169.9	0.1	
Č	Other Causes	2329	1489.3	2395	1541.2	-0.0	

Figure 24




Figure 25




Figure 26




Figure 27




Figure 28




TABLE 28 - DIVO	PRCES BY COUNTY OF OCCURRENCE RHODE ISLAND: 2003	
County of Divorce	NUN	IBER
Bristol	Included in Providence County	
Kent		543
Newport		267
Providence and Bristol	:	2,156
Washington		390
Total	;	3,356

TABLE 29 - DIVORCES BY M RHODE ISLA	
Month	Number
January	328
February	266
March	327
April	312
May	269
June	277
July	304
August	239
September	300
October	289
November	205
December	240
Total	3,356

Figure 29




	TABLE 30 - MARRIAGES BY MONTH OF OCCURRENCE IN RHODE ISLAND: 2003						
Month	Number						
January February	337 406						
March April May	394 462 864						
June July August	1,021 912 1,091						
September October November	988 878 516						
December	478						
Total	8,347						

Figure 30




Table 31- MOST POPULAR BABIES NAMES BY SEX FOR RHODE ISLAND RESIDENTS BIRTHS: 2003

(Each Spelling Counted Separately)

	ach Spelling Cou		,	
RANK	MALES	NUMBER	FEMALES	NUMBER
1	MICHAEL	141	EMILY	107
2	MATTHEW	126	MADISON	87
3	JACOB	107	EMMA	79
4	NICHOLAS	100	OLIVIA	73
5	RYAN	92	ISABELLA	72
6	AIDAN	90	SOPHIA	65
7	JOSHUA	86	ASHLEY	60
8	ANDREW	85	SARAH	60
9	JOSEPH	80	SAMANTHA	59
10	ALEXANDER	77	ABIGAIL	57
11	CHRISTOPHER	76	HANNAH	57
12	JOHN	76	GRACE	51
13	ETHAN	73	JULIA	46
14	ANTHONY	71	VICTORIA	46
15	ZACHARY	71	ALEXIS	42
16	BENJAMIN	69	ELIZABETH	42
17	DANIEL	66	ALYSSA	37
18	WILLIAM	65	JESSICA	37
19	NATHAN	61	SYDNEY	34
20	TYLER	61	BRIANNA	33
21	DYLAN	59	LAUREN	33
22	JACK	59	MIA	33
23	JAMES	58	ALEXANDRA	32
24	SAMUEL	56	AVA	30
25	DAVID	53	KATHERINE	30
26	CAMERON	49	KAYLA	29
27	THOMAS	49	HAILEY	28
28	JASON	45	RACHEL	27
29	JONATHAN	44	ANGELINA	25
30	SEAN	43	LILY	25
Unique Names (names used only once with this spelling)	Males	1,057	Females	1,644

Figure 31




Figure 32

